

62

LIBRARY

RECEIVED

★ SEP 6 1957

U. S. Department of Agriculture

**WHOLESALE
TRADE LIST
EVERGREEN
NURSERIES**

FALL, 1957

SPRING, 1958



The Kallay Bros. Co.

PAINESVILLE, OHIO

Office: Cor. Madison Ave. and Bowhall Rd.

PHONE: ELmwood 7-5662

**For Nurserymen, Florists, Dealers
and Landscape Architects**

Conditions of Sale

Prices herein listed cancel all previous lists, and are subject to change without notice.

Terms

Prices herein listed are F. O. B. NURSERY AT PAINESVILLE, OHIO. To those with established record for promptness or with satisfactory references, we shall be pleased to extend our regular terms of 30 days from date of invoice. Two per cent (2%) discount will be allowed if paid within ten (10) days, or three (3%) per cent discount for cash in full with order.

Absolutely no C. O. D. orders will be accepted unless accompanied by one-third (1/3) of the amount of the order.

Price Quotations

PRICE QUOTATIONS are made for immediate acceptance, subject to prior sale, and to stenographic, typographical errors, or omissions.

Guarantee of Genuineness

We cannot guarantee any trees, shrubs and plants sold by us, other than that they are true to name, and free from any injurious insects or disease, and hold ourselves prepared to replace, on proper proof, all that may prove to be otherwise. Any and all such trees, shrubs and plants are sold upon the express condition and understanding that should any of them prove to be otherwise, we shall not be held responsible for a greater amount than the original price paid, and all orders booked are based on the distinct understanding that the purchaser agrees to the conditions as herein outlined.

Claims

All orders accepted by us are booked on conditions that they shall be void should injury befall the stock from frost, fire, hail storm or other causes of whatsoever nature over which we have no control. All claims of whatsoever nature must be made within 6 days after receipt of the stock. Claims should be made promptly within the time limit specified, and in writing.

Plants become your property upon delivery to the transportation company, and we cannot be responsible for loss, damage, or delay in transit.

TRADE CONDITIONS

Carloading

We have a railroad siding on our own property and are equipped to load cars to all points promptly and without unnecessary extra handling of stock.

Explanatory Notes

Figures following names throughout this list indicate in feet the approximate height of the plant at maturity.

The botanical and common names herein used are in conformity with the "Standardized Plant Names" which is the accepted authority on the plant nomenclature in the horticultural industry.

Our grading standards are based on a schedule which has been accepted and adopted by the American Association of Nurserymen.

Balling of Deciduous Stock

All items herein listed "B. & B." will be balled and burlapped and the cost thereof is included in the prices herein listed.

Deciduous stock listed bare roots may be balled at the option of the purchaser, and a schedule of cost of balling such deciduous stock will be found on inside back cover.

We carry no stock in storage. Stock on all orders are freshly dug from the field after receipt of each order. The advantage of planting freshly dug stock is recognized by all expert planters.

Packing Costs

When L. C. L. orders are placed for shipment by common carrier, there will be an additional charge for packing. A schedule of packing prices will be found on inside back cover.

No orders will be accepted for balled stock if it is to be boxed for shipment, but can often include small balled stock orders as part load on trucks. Please inquire. No orders will be accepted for any nursery stock under the value of \$25.00 unless called for.

THE KALLAY BROS. CO.
PAINESVILLE, OHIO

For the benefit of the amateur planter, and those who care to follow these suggestions, we indicate herein after, the name of each item of woody plant material, the type of soil, PH content of the soil, and exposure of the plant to sun and shade necessary for the best and lasting result and satisfaction.

ABELIA

—grandiflora. 3ft. (Glossy Abelia) Light, peaty, moist
PH 6.0-7.5, sun-partial shade.

	Each 1-4	Each 5-24	Each 25-up
15 to 18 in. B&B.....	\$1.75	\$1.50	\$1.25
18 to 24 in. B&B.....	2.00	1.75	1.50
2 to 3 ft. B&B.....	2.25	2.00	

ABIES

—douglasi. (See Pseudotsuga douglasi)

ACANTHOPANAX

Seiboldianus. 8 ft. (Five Leaf Aralia) Sandy to silty loam, moist, PH 5.5-7.5, sun-shade.

18 to 24 in.50	.45	.40
2 to 3 ft.60	.55	.50
3 to 4 ft.75	.70	.65

ACER

—dasycarpum (saccharinum) 60 ft. (Silver Maple)
Sandy to clay loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	2.00	1.75	1.50
8 to 10 ft.	3.00	2.50	2.00
1¼ to 1½ in.	3.00	2.75	2.50
1½ to 1¾ in.	4.00	3.75	3.50
1¾ to 2 in.	6.00	5.50	5.00
2 to 2½ in.	8.50	8.00	7.50
2½ to 3 in.	12.00	11.00	10.00
3 to 3½ in.	16.00	15.00	14.00
3½ to 4 in.	25.00	20.00	

—dasycarpum wieri. 75 ft. (wier cut leaf maple) Sandy to clay loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	2.50	2.25	2.00
8 to 10 ft.	3.50	3.25	3.00
1¼ to 1½ ft.	4.00	3.75	3.50
1½ to 1¾ in.	6.00	5.50	5.00
1¾ to 2 in.	8.00	7.50	7.00
2 to 2½ in.	11.00	10.00	
2½ to 3 in.	14.00	12.00	
3 to 3½ in.	18.00	16.00	

—ginnala. 15 ft. (Amur Maple) Good loam, moist, PH 6.0-7.5, sun-partial shade.

2 to 3 ft.	1.00	.85	.75
3 to 4 ft.	1.25	1.15	1.00
4 to 5 ft.	2.00	1.75	1.50
5 to 6 ft.	2.50	2.25	2.00
6 to 8 ft.	4.00	3.75	3.50

ACER — Continued

1-4 Each 5-24 Each 25-up Each

—**negundo**. 60 ft. (Box Elder) Sandy to clay loam, moist, PH 6.0-7.5, sun.

6	to	8	ft.	2.00	1.75	1.50
8	to	10	ft.	2.50	2.25	2.00
1¼	to	1½	in.	3.00	2.50	
1½	to	1¾	in.	4.00	3.50	
1¾	to	2	in.	5.50	5.00	

—**palmatum atropurpureum**. 10 ft. (Redleaf Japanese Maple) Silty clay loam, moist, PH 6.0-7.5, sun for best color.

12	to	15	in. B&B	3.00	2.75	2.50
15	to	18	in. B&B	5.00	4.50	4.00
18	to	24	in. B&B	7.00	6.50	6.00

—**pennsylvanicum**. 20 ft. (Striped Maple) Woodsy loam, moist, PH 5.0-6.5, partial shade.

5	to	6	ft.	3.50	3.25	3.00
6	to	8	ft.	5.00	4.50	4.00
8	to	10	ft.	6.00	5.50	5.00
1¼	to	1½	in.	8.00	7.00	6.00
1½	to	2	in.	10.00	9.00	8.00

—**platanoides**. 50 ft. (Norway Maple) Silty to clay loam, moist, PH 6.0-7.5, sun.

6	to	8	ft.	4.00	3.50	3.00
8	to	10	ft.	5.00	4.50	4.00
1¼	to	1½	in.	6.00	5.50	5.00
1½	to	1¾	in.	9.00	8.00	7.00
1¾	to	2	in.	11.00	10.00	9.00
2	to	2½	in.	15.00	14.00	12.00
2½	to	3	in.	20.00	17.50	
3	to	3½	in.	22.50	20.00	

—**platanoides calumnare**. 75 ft.

(Calumnar Norway Maple)

Silty to clay loam, moist, P.H. 6.0-7.5 sun.

6	to	8	ft.	7.00	6.50	6.00
8	to	10	ft.	8.00	7.50	7.00
1¼	to	1½	in.	9.00	8.50	8.00
1½	to	1¾	in.	12.00	11.00	10.00
1¾	to	2	in.	14.00	12.00	

—**platanoides Faassen black** (Faassen black maple)

Silty to clay loam, moist, PH 6.0-7.5

6	to	8	ft.	7.00	6.50	6.00
8	to	10	ft.	9.00	8.50	8.00
1¼	to	1½	in.	11.00	10.00	9.00

—**platanoides schwedleri**. 50 ft. (Schwedler Maple)

Silty to clay loam, moist, PH 6.0-7.5, sun.

6	to	8	ft.	5.00	4.50	4.00
8	to	10	ft.	6.00	5.50	5.00
1¼	to	1½	in.	8.00	7.50	7.00
1½	to	1¾	in.	12.00	11.00	10.00
1¾	to	2	in.	14.00	13.00	12.00
2	to	2½	in.	15.00	14.00	
4	to	5	in. B&B 48"	90.00	85.00	
5	to	6	ft. B&B 54"	100.00	95.00	

1-4 Each	5-24 Each	25-up Each
-------------	--------------	---------------

ACER — Continued

—**platanoides schwedleri nigra.** (Crimson king maple)
Silty to clay loam, moist, PH 6.0-7.5 sun.

5	to	6	ft.	6.00	5.50	5.00
6	to	8	ft.	8.00	7.50	7.00
8	to	10	ft.	10.00	9.50	9.00
1¼	to	1½	in.	12.00	11.00	10.00

—**pseudoplatanus.** 60 ft. (plane tree maple) Medium loam, well drained, PH 6.0-7.5 sun.

6	to	8	ft.	4.00	3.50	
8	to	10	ft.	5.00	4.50	
1¼	to	1½	in.	6.00	5.50	
1½	to	1¾	in.	9.00	8.00	

—**rubrum.** 50 ft. (Red Maple) Medium silty loam, moist, PH 6.0-7.5, sun.

6	to	8	ft.	\$4.00	\$3.50	\$3.00
8	to	10	ft.	5.00	4.50	4.00
1¼	to	1½	in.	6.00	5.50	5.00
1½	to	1¾	in.	8.00	7.50	7.00
1¾	to	2	in.	10.00	9.50	9.00
2	to	2½	in.	14.00	13.00	12.00
2½	to	3	in.	18.00	17.00	16.00
3	to	3½	in.	26.00	25.00	24.00
3½	to	4	in.	35.00	30.00	

—**saccharum.** 60 ft. (Sugar or Rock Maple) Medium loam, well drained, PH 6.0-7.5, sun.

6	to	8	ft.	4.00	3.50	3.00
8	to	10	ft.	5.00	4.50	4.00
1¼	to	1½	in.	6.00	5.50	5.00
1½	to	1¾	in.	8.00	7.50	7.00
1¾	to	2	in.	10.00	9.50	9.00
2	to	2½	in.	14.00	13.00	12.00
2½	to	3	in.	18.00	17.00	16.00
3	to	3½	in.	26.00	25.00	
4	to	5	in.	50.00	45.00	
5	to	6	in.	price on request		

AESCULUS

—**glabra.** 25' (Ohio buckeye) Sandy to silty loam, moist,, PH 6.0-7.5 sun.

6	to	8	ft.	4.00	3.50	
8	to	10	ft.	5.50	5.00	
1¼	to	1½	in.	6.50	6.00	
1½	to	1¾	in.	8.50	8.00	

—**pavia.** 30 ft. (Red Buckeye) Sandy to silty loam, moist, PH 6.0-7.0, sun.

2	to	3	ft. B&B.	4.00	3.50	
3	to	4	ft. B&B.	4.50	4.00	
4	to	5	ft. B&B.	6.00	5.00	

AILANTHUS

1-4 Each	5-24 Each	25-up Each
-------------	--------------	---------------

—*altissima*. (glandulosa) 40 ft. (Tree of Heaven) Sandy to clay loam, dry-moist, PH 6.0-7.0, sun.

6 to 8 ft.	4.00	3.50	3.00
8 to 10 ft.	5.00	4.50	4.00
1½ to 2 in.	6.00	5.50	
2 to 2½ in.	8.00	7.00	

AKEBIA

—*quinata*. 15 ft. (Fiveleaf Akebia) Sandy loam, well drained, moist, PH 6.0-7.5, partial shade.

2 year	.60	.50	
3 year	.70	.60	

ALNUS

—*glutinosa*. 50 ft. (European Alder) Medium loam, moist, PH 5-5-7.0, sun, tolerates wet soil.

5 to 6 ft.	3.00	2.50	
6 to 8 ft.	3.50	3.00	
8 to 10 ft.	4.50	4.00	
1¼ to 1½ in.	6.00	5.00	
1½ to 1¾ in.	7.00	6.00	
1¾ to 2 in.	8.00	7.00	

—*incana*. 50 ft. (Speckled Alder) Medium loam, moist, PH 5.5-6.5, partial shade, stands wet soil.

6 to 8 ft.	3.50	3.00	
8 to 10 ft.	4.50	4.00	

ALTHEA — See Hibiscus**AMELANCHIER**

—*canadensis*. 30 ft. (Downy Shadblow) Woodsy loam, moist, PH 5.0-6.0, sun or partial shade.

2 to 3 ft.	1.25	1.15	1.00
3 to 4 ft.	1.75	1.50	1.25
4 to 5 ft.	2.00	1.75	1.50
5 to 6 ft.	3.50	3.00	2.50
6 to 8 ft.	5.00	4.50	4.00

—*stolonifera*. 3 ft. (Running Shadblow) Medium loam, moist, PH 6.0-7.5, sun or partial shade, good for underplanting.

18 to 24 in.	.90	.80	.70
2 to 3 ft.	1.00	.90	.80

AMORPHA

—*fruticosa*. 10 ft. (Indigobush) Sandy to loam, moist, PH 6.0-7.5, sun, well drained soil.

2 to 3 ft.	.45	.40	
3 to 4 ft.	.60	.50	
4 to 5 ft.	.80	.75	
5 to 6 ft.	1.25	1.00	

AMPELOPSIS

—*brevi. maxomowiczi*. 25 ft. (Procelain Ampelopsis) Medium loam, dry-moist, PH 6.0-7.5, sun or part shade.

2 year	.50	.45	.40
3 year	.60	.55	.50

		1-4	5-24	25-up
		Each	Each	Each
AMYGDALUS	— see <i>prunus persica</i>			

AMPELOPSIS — see *Parthenocissus*

ARALIA

—*spinosa*. 20 ft. (Hercules Club) Sandy to silty loam, dry-moist, PH 6.0-7.5, sun or part shade.

5 to 6 ft.	1.50	1.25	
6 to 8 ft.	1.75	1.50	
8 to 10 ft.	3.00	2.50	

ARONIA. *Pyrus*

—*arbutifolia*. 6 ft. (Red Chokeberry) Medium loam, moist or well drained, PH 5.0-6.5, sun or part shade.

18 to 24 in.	.45	.40	.35
2 to 3 ft.	.60	.55	.50
3 to 4 ft.	.70	.65	.55

—*atropurpurea*. 6 ft. (Purple Chokeberry) Medium loam, moist, PH 5.0-6.5, moist, well drained soil.

18 to 24 in.	.45	.40	.35
2 to 3 ft.	.60	.55	.50

—*brilliantissima*. 6 ft. (Brilliant Chokeberry) Medium loam, moist, PH 5.0-6.5, sun or part shade, well drained soil.

18 to 24 in.	.45	.40	.35
2 to 3 ft.	.60	.55	.50

—*melanocarpa*. 8 ft. (Black Chokeberry) Medium loam, dry or moist, PH 5.0-6.5, sun or part shade.

18 to 24 in.	.45	.40	.35
2 to 3 ft.	.60	.55	.50

—*melanocarpa elata*. 8 ft. (Glossy Chokeberry) Medium loam, dry or moist, PH 5.0-6.5, sun or part shade.

18 to 24 in.	.60	.55	.45
2 to 3 ft.	.70	.65	.60

AZALEA

—*calendulacea*. 8 ft. (Flame Azalea) Woodsy loam, moist-drained, PH 4.5-5.5, sun or light shade, acid high organic.

18 to 24 in. B&B	4.50	4.00	
2 to 3 ft. B&B	5.50	5.00	

—*canescens roseum*. 6 ft. (Pink) Woodsy loam, moist-drained, PH 4.5-5.5, sun, acid high organic.

18 to 24 in. B&B	4.50	4.00	
2 to 3 ft. B&B	5.50	5.00	

—*latifolia alba* 5' (snow azalea) PH 4.5-6.5, sun, acid.

9 to 12 in. B&B	2.50	2.25	2.00
12 to 15 in. B&B	3.00	2.50	
15 to 18 in. B&B	3.50	3.00	

AZALEA — Continued

1-4
Each 5-24
Each 25-up
Each

—**kaempferi** 5' (torch azalea) woodsy loam, moist,
well drained, PH 4.5-6.5 sun.

Boudoir—pink

Fedora—pink

Herbert—dark crimson

Royalty—double purple

9 to 12 in. B&B.....	2.50	2.25	2.00
12 to 15 in. B&B.....	3.00	2.75	2.50
15 to 18 in. B&B.....	3.50	3.00	

—**mollis** — red and pink. 3 ft. (Chinese Azalea) Wood-
sy loam, moist-drained, PH 4.5-6.5, sun, acid
high organic.

9 to 12 in. B&B.....	1.25	1.15	1.00
12 to 15 in. B&B.....	2.00	1.75	1.50
15 to 18 in. B&B.....	2.50	2.25	2.00
18 to 24 in. B&B.....	3.00	2.75	2.50
24 to 30 in. B&B.....	4.50	4.00	

—**pontica** (Yellow Azalea) Woodsy loam, moist, drained,
PH 4.5-5.5, sun or light shade, acid high or-
ganic.

15 to 18 in. B&B.....	3.50	3.25	3.00
18 to 24 in. B&B.....	5.00	4.50	
24 to 30 in. B&B.....	6.50	6.00	

—**nudiflora**. 6 ft. (Pinxterbloom). Woodsy loam, moist-
drained, PH 4.5-5.5, sun or part shade, acid
high organic.

18 to 24 in. B&B.....	4.50	4.00	
2 to 3 ft. B&B.....	5.50	5.00	

BENZOIN — see *Lindera*

BERBERIS

1-24 25-249 250-up
Each Each Each

—**mentorensis**. 6 ft. (Mentor Barberry) semi-evergreen
sandy to clay loam, PH 6.0-7.5, sun or part
shade.

12 to 15 in.....	.40	.35	.30
15 to 18 in.....	.50	.45	.40
18 to 24 in.....	.70	.60	.50
24 to 30 in.....	.80	.70	.60

—**thunbergi**. 5 ft. (Japanese Barberry) Sandy to clay
loam, moist, PH 6.0-7.5, sun or part shade.

12 to 15 in.....	.30	.25	.20
15 to 18 in.....	.35	.30	.25
18 to 24 in.....	.40	.35	.30
24 to 30 in.....	.60	.50	.40
30 to 36 in.....	.75	.65	.60

—**thunbergi atropurpurea**. 5 ft. (Red Japanese Bar-
berry) Sandy to clay loam, moist, PH 6.0-7.5,
sun for best color.

12 to 15 in.....	.35	.30	.25
15 to 18 in.....	.40	.35	.30
18 to 24 in.....	.60	.50	.40
24 to 30 in.....	.70	.60	.50

BERBERIS — Continued

	1-4 Each	5-24 Each	25-up Each
— thunbergi minor. 3 ft. (Box Barberry) Sandy to clay loam, moist, PH 6.0-7.5, sun or part shade.			
9 to 12 in.....	.60	.55	.50
12 to 15 in.....	.70	.65	.60
15 to 18 in.....	.80	.75	.70

BETULA

—**lenta.** 40 ft. (Sweet Birch) Good medium loam, moist, PH 5.0-7.0, sun or part shade.

4 to 5 ft.....	1.25	1.15	1.00
5 to 6 ft.....	2.00	1.75	1.50
6 to 8 ft.....	3.00	2.75	2.50
8 to 10 ft.....	4.50	4.00	
2 to 2½ in.....	10.00	8.00	
2½ to 3 in.....	12.00	10.00	

—**lutea.** 40 ft. (Yellow Birch) Good, Medium loam, moist, PH 5.0-7.0, sun or part shade, tolerant to wet soil.

6 to 8 ft.....	3.50	3.00	
8 to 10 ft.....	4.50	4.00	
1¼ to 1½ in.....	5.50	5.00	
1½ to 1¾ in.....	6.50	6.00	

—**pendula (alba.)** 40 ft. (European White Birch) Sandy loam, dry-moist, PH 5.0-6.5, sun or part shade.

4 to 5 ft.....	1.75	1.50	1.25
5 to 6 ft.....	2.00	1.75	1.50
6 to 8 ft.....	3.50	3.00	
8 to 10 ft.....	4.50	4.00	
1¼ to 1½ in.....	5.50	5.00	
1½ to 1¾ in.....	6.50	6.00	
1¾ to 2 in....	8.50	8.00	
2 to 2½ in.....	12.00	10.00	

—**P. lacinata.** 40 ft. (Cut Leaf Weeping Birch) Sandy loam, dry-moist, PH 5.0-6.5, sun-part shade.

6 to 8 ft.....	4.50	4.00	
8 to 10 ft.....	5.50	5.00	

—**nigra.** Multiple Stems. Good, medium loam, moist, PH 5.0-7.0, sun or part shade, tolerant to wet soil.

4 to 5 ft.....	3.50	3.00	
5 to 6 ft.....	4.50	4.00	
6 to 8 ft.....	5.50	5.00	
8 to 10 ft.....	7.00	6.00	
10 to 12 ft.....	10.00	8.00	

—**papyrifera.** 50 ft. (Canoe Birch) Good loam, moist, PH 5.0-6.5, sun or part shade, good moist soil.

5 to 6 ft.....	2.00	1.50	
6 to 8 ft.....	3.50	3.00	
8 to 10 ft.....	4.50	4.00	
1½ to 2 in.....	7.50	7.00	
2 to 2½ in.....	12.00	10.00	
2½ to 3 in.....	14.00	12.00	

BETULA — Continued

	1-4 Each	5-24 Each	25-up Each
— papyrifera clump form. Good loam, moist, PH 5.0-6.5 sun or part shade			
4 to 5 ft.....	3.50	3.00	
5 to 6 ft.....	4.50	4.00	
6 to 8 ft.....	8.00	7.00	6.00
— populifolia. 40 ft. (gray birch) medium loam, moist, PH 5.0-7.0 sun or part shade			
4 to 5 ft.....	2.00	1.75	1.50
5 to 6 ft.....	3.00	2.50	
6 to 8 ft.....	4.00	3.50	

BIGNONIA — (see Campsis)

BUDDLEIA — (Butterfly Bush)

— charming. (Bright Pink) Sandy loam, moist, well drained, PH 6.0-7.5, sun.			
2 year40	.35	.30
— concord. (Reddish Blue) Sandy loam, moist, well- drained, PH 6.0-7.5, sun.			
2 year40	.35	.30
— dubonnet. (Wine Red) Sandy loam, moist, well- drained, PH 6.0-7.5, sun.			
2 year40	.35	.30
— eleanor. (Blue, Orange Eye) Sandy loam, moist, well- drained, PH 6.0-7.5, sun.			
2 year40	.35	.30
— ile de france. (Claret-Purple) Sandy loam, moist, well- drained, PH 6.0-7.5, sun.			
2 year40	.35	.30
— royal red. Sandy loam, moist, well drained, PH 6.0-7.5, sun.			
2 year45	.40	.35
— white beauty. Sandy loam, moist, well drained, PH 6.0-7.5, sun.			
2 year45	.40	.35

CALLICARPA

— americana. 6 ft. (American Beautyberry) Medium loam, moist, PH 6.0-7.5, sun.			
15 to 18 in.....	.40	.35	.30
18 to 24 in.....	.50	.45	.40
2 to 3 ft.....	.65	.60	.55
3 to 4 ft.....	.80	.70	.65
— dichotoma (purpurea) 4 ft. (Chinese Beautyberry) Medium loam, moist, PH 6.0-7.5, sun.			
15 to 18 in.....	.40	.35	.30
18 to 24 in.....	.50	.45	.40
2 to 3 ft.....	.65	.60	.55
3 to 4 ft.....	.80	.70	.65

	1-4 Each	5-24 Each	25-up Each
--	-------------	--------------	---------------

CALLICARPA — Continued

—**giraldiana**. 6 ft. (Girald Beautyberry). Medium loam, moist, PH 6.0-7.5 sun.

18 to 24 in.....	.60	.55	.50
2 to 3 ft.....	.70	.65	.60

CALYCANTHUS

—**floridus**. 5 ft. (Strawberry Shrub) Medium loam, moist, PH 6.0-7.5, sun or light shade, tolerant to wet soil.

15 to 18 in.....	.45	.40	.35
18 to 24 in.....	.55	.50	.45
2 to 3 ft.....	.60	.55	.50
3 to 4 ft.....	.80	.70	.65

CAMPSIS

—**grandiflora**. 20 ft. (Chinese Trumpet creeper) Rich silty to clay loam, dry-moist, PH 6.0-7.5, sun.

2 year	1.00	.75	.60
3 year	1.25	1.00	.75

—**radicans**. 25 ft. (Trumpet creeper) Sandy to silty clay loam, dry-moist, PH 6.0-7.5, sun or part shade.

2 year, No. 1.....	.30	.27	.25
3 year, No. 1.....	.35	.32	.30

CARAGANA

—**arborescens**. 12 ft. (Siberian Peashrub) Sandy to silty clay, dry-moist, PH 6.0-7.5, sun or shade.

18 to 24 in.....	.40	.35	.30
2 to 3 ft.....	.55	.50	.45
3 to 4 ft.....	.75	.70	.65
4 to 5 ft.....	1.00	.95	.90

CARPINUS

—**betulus fastigiata**. 40 ft. (Pyramidal European Hornbeam) Medium loam, moist, PH 6.0-7.5, sun or shade.

2 to 3 ft. B&B.....	3.50	3.25	3.00
3 to 4 ft. B&B.....	5.00	4.50	4.00
4 to 5 ft. B&B.....	7.50	7.00	
5 to 6 ft. B&B.....	11.00	10.00	
6 to 8 ft. B&B.....	17.50	15.00	
8 to 10 ft. B&B.....	25.00	20.00	

—**carolineana**. 35 ft. (American Hornbeam) Medium loam, moist, PH 6.0-7.5, sun or shade.

1½ to 1¾ in. B&B.....	22.00	20.00	
2 to 2½ in. B&B.....	25.00	22.50	
2½ to 3 in. B&B.....	30.00	25.00	
3 to 3½ in. B&B.....	45.00	40.00	

		1-4 Each	5-24 Each	25-up Each
CATALPA				
— <i>speciosa</i> . 35 ft. (Western Catalpa) Sandy to silty clay, dry-moist, PH 6.0-7.5, sun.				
6	to 8 ft.	2.00	1.75	1.50
8	to 10 ft.	2.50	2.25	2.00
1½	to 1¾ in.	3.50	3.00	
1¾	to 2 in.	5.00	4.50	
2	to 2½ in.	8.00	7.00	
2½	to 3 in.	12.00	10.00	

CELASTRUS

— <i>orbiculatus</i> . 15 ft. (Oriental Bittersweet) Medium loam, dry-moist, PH 5.0-7.0, sun or shade.				
2 year	No. 1	.40	.35	.30
3 year	No. 1	.45	.40	.35
— <i>scandens</i> . 20 ft. (American Bittersweet) Medium loam, dry-moist, PH 5.0-7.0, sun or shade, fruits best in sun.				
2 year	No. 1	.40	.35	.30
3 year	No. 1	.45	.40	.35

CELTIS

— <i>occidentalis</i> . 45 ft. (Hackberry) Sandy to silty clay moist, PH 6.0-7.5, sun, stand poor soil.				
5	to 6 ft.	2.50	2.25	2.00
6	to 8 ft.	4.50	4.00	3.50
8	to 10 ft.	5.50	5.00	4.50
1¼	to 1½ in.	7.00	6.00	
1½	to 1¾ in.	8.00	7.00	
1¾	to 2 in.	11.00	10.00	
2	to 2½ in.	13.00	12.00	

CEPHALANTHUS

— <i>occidentalis</i> . 6 ft. (Buttonbush) Loam to silty clay moist, PH 6.0-7.5, sun to part shade.				
2	to 3 ft.	.50	.45	.40
3	to 4 ft.	.60	.55	.50
4	to 5 ft.	.75	.65	.60

CERCIDIPHYLLUM

— <i>japonicum</i> . 25 ft. (Katsura tree) rich medium loam, moist, PH 6.0-7.5, sun or part shade.				
2	to 3 ft. B&B	3.00	2.50	2.00
3	to 4 ft. B&B	4.50	4.00	3.50
4	to 5 ft. B&B	7.00	6.50	6.00
5	to 6 ft. B&B	10.00	9.00	8.00
6	to 8 ft. B&B	12.00	10.00	
8	to 10 ft. B&B	15.00	14.00	

CERCIS

— <i>canadensis</i> . 30 ft. (Judas Tree) Medium loam, moist, PH 6.0-7.5, sun or part shade.				
2	to 3 ft.	.80	.70	.60
3	to 4 ft.	1.00	.90	.80
4	to 5 ft.	1.75	1.50	1.25
5	to 6 ft.	3.00	2.50	2.00
6	to 8 ft.	6.00	5.00	4.00

CERCIS — Continued—**canadensis** — single stem

	1-4 Each	5-24 Each	25-up Each
4 to 5 ft.....	1.75	1.50	1.25
5 to 6 ft.....	3.00	2.50	2.00
6 to 8 ft.....	6.00	5.00	4.00

CHAENOMELES (Cydonia)—**japonica**. 5 ft. (Japan Quince) Sandy to silty clay, moist, well drained, PH 6.0-7.5, sun or part shade.

15 to 18 in.....	.40	.35	.30
18 to 24 in.....	.45	.40	.35
2 to 3 ft.....	.60	.55	.45

—**japonica pygmaea**. 3 ft. (Dwarf Japan Quince) Sandy to silty clay, moist, well drained, PH 6.0-7.5, sun or part shade.

15 to 18 in.....	.40	.35	.30
18 to 24 in.....	.45	.40	.35
2 to 3 ft.....	.60	.55	.45

—**japonica rubra**. 8 ft. (Upright Flowering Quince) Sandy to silty clay, moist, drained, PH 6.0-7.5, sun or part shade.

18 to 24 in.....	.60	.55	.50
2 to 3 ft.....	.75	.65	.60

CHIONANTHUS—**virginica**. 15 ft. (White Fringe) Well drained medium loam, moist, PH 5.0-6.0, sun.

15 to 18 in.....	.60	.55	.50
18 to 24 in.....	.80	.75	.70
2 to 3 ft.....	1.25	1.15	1.00
3 to 4 ft.....	1.75	1.50	1.25
4 to 5 ft.....	2.50	2.25	2.00
5 to 6 ft.....	3.50	3.00	

CHAMAECYPARIS—**pisifera**. 25 ft. (Sawara Cypress) medium loam moist, well drained, PH 6.0-7.0, sun-partial shade.

18 to 24 in. B&B.....	2.00	1.75	1.50
2 to 2½ ft. B&B.....	2.50	2.25	2.00
2½ to 3 ft. B&B.....	3.00	2.75	2.50
3 to 4 ft. B&B.....	4.00	3.50	3.00
4 to 5 ft. B&B.....	5.00	4.50	4.00

—**pisifera aurea**. 25 ft. (Golden Sawara Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade.

18 to 24 in. B&B.....	2.00	1.75	1.50
2 to 2½ ft. B&B.....	2.50	2.25	2.00
2½ to 3 ft. B&B.....	3.00	2.75	2.50
3 to 4 ft. B&B.....	4.00	3.50	3.00
4 to 5 ft. B&B.....	5.00	4.50	4.00

1-4 Each	5-24 Each	25-up Each
-------------	--------------	---------------

Chamaecyparis — Continued

—**p. filifera**. 10 ft. (Thread Branched Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade.

15	to 18	in. B&B.....	2.00	1.75	1.50
18	to 24	in. B&B.....	2.50	2.25	2.00
2	to 2½	ft. B&B.....	4.00	3.50	3.00
2½	to 3	ft. B&B.....	5.00	4.50	4.00
3	to 4	ft. B&B.....	6.00	5.50	

—**p. filifera aurea**. 6 ft. (Golden Thread Branched Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade.

12	to 15	in. B&B.....	2.00	1.75	1.50
15	to 18	in. B&B.....	2.25	2.00	1.75
18	to 24	in. B&B.....	3.00	2.75	2.50
24	to 30	in. B&B.....	4.00	3.75	3.50
30	to 36	in. B&B.....	5.00	4.75	4.50

—**p. filifera aurea variegata**. 8 ft. (Variegated Thread Branched Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade.

15	to 18	in. B&B.....	2.00	1.75	
18	to 24	in. B&B.....	3.00	2.50	
2	to 2½	in. B&B.....	4.00	3.75	

—**p. plumosa**. 20 ft. (Plume Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade.

18	to 24	in. B&B.....	2.00	1.75	1.50
2	to 2½	ft. B&B.....	2.50	2.25	2.00
2½	to 3	ft. B&B.....	3.00	2.75	2.50
3	to 4	ft. B&B.....	4.00	3.50	3.00
4	to 5	ft. B&B.....	5.00	4.50	4.00
5	to 6	ft. B&B.....	7.00	6.50	6.00
6	to 8	ft. B&B.....	8.00	7.50	7.00

—**p. plumosa aurea**. 18 ft. (Golden Plume Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade.

18	to 24	in. B&B.....	2.00	1.75	1.50
2	to 2½	ft. B&B.....	2.50	2.25	2.00
2½	to 3	ft. B&B.....	3.00	2.75	2.50
3	to 4	ft. B&B.....	4.00	3.50	3.00
4	to 5	ft. B&B.....	5.00	4.50	4.00
5	to 6	ft. B&B.....	7.00	6.50	6.00

—**p. plumosa sulphurea**. 20 ft. (Sulphur Plume Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade.

15	to 18	in. B&B.....	2.50	2.00	1.75
18	to 24	in. B&B.....	3.00	2.50	2.25
24	to 30	in. B&B.....	3.50	3.00	

1-4 Each	5-24 Each	25-up Each
-------------	--------------	---------------

CHAMAECYPARIS — Continued

—*p. squarrosa veitchi*. 20 ft. (Gray Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade.

18	to	24	in. B&B.....	2.00	1.75	1.50
2	to	2½	ft. B&B.....	2.50	2.25	2.00
2½	to	3	ft. B&B.....	3.00	2.75	2.50
3	to	4	ft. B&B.....	4.00	3.50	3.00
4	to	5	ft. B&B.....	5.00	4.50	4.00

Cladrastis

—*lutea*. 35 ft. (Yellowwood) Medium loam, moist, PH 6.0-7.5, sun, high organic matter.

18	to	24	in.....	1.25	1.00	
2	to	3	ft.....	1.75	1.50	
3	to	4	ft.....	2.50	2.00	

CLEMATIS

—*paniculata*. 20 ft. (Sweet Autumn Clematis) Rich, medium loam, moist, well drained, PH 6.5-7.5, sun or part shade.

1	year30	.25	.20
2	year	Medium.....	.35	.30	.25
2	year	No. 1.....	.45	.40	.35

—*hybrids*, large flowering 2 years field grown

<i>jackmanni</i> (Violet-blue)	1.25	1.00
--------------------------------	------	------	------

CLETHRA

—*alnifolia*. 6 ft. (Sweet Pepperbush Bush) Woodsy moist, PH 4.5-5.5, sun or part shade, high organic matter.

15	to	18	in.....	.45	.40	.35
18	to	24	in.....	.60	.50	.45
24	to	30	in.....	.75	.65	.55
30	to	36	in.....	.80	.75	.65

COLUTHEA

—*arborescens*. 10 ft. (Bladder Senna) Sandy to clay loam, dry-moist, PH 6.0-7.5, sun.

2	to	3	ft.....	.60	.55	.50
3	to	4	ft.....	.75	.65	
6	to	8	ft.....	3.00	2.50	

COMPTONIA

—*peregrina esplenifolia*. 3 ft. (Sweet Fern) Porous sandy loam, dry, PH 5.0-6.0, sun-light shade.

15	to	18	in.....	1.00	.90	.80
18	to	24	in.....	1.25	1.15	1.00
24	to	30	in.....	1.50	1.35	1.25

CORNUS

	1-4 Each	5-24 Each	25-up Each
--	-------------	--------------	---------------

—**alba argenteo-marginata**. 6 ft. Silverblotch Dogwood
Medium loam, moist, PH 6.0-7.5, sun.

15 to 18 in.	.60	.55	.50
18 to 24 in.	.70	.65	.60
2 to 3 ft.	.90	.80	.75
3 to 4 ft.	1.25	1.00	

—**alba sibirica**. 8 ft. (Coral Dogwood) Medium loam,
moist, PH 6.0-7.5, sun or part shade.

2 to 3 ft.	.60	.55	.45
3 to 4 ft.	.70	.60	.50
4 to 5 ft.	.90	.80	.70

—**alba spaethi**. 6 ft. (Golden Leaved Dogwood) Med
ium loam, moist, PH 6.0-7.5, sun.

18 to 24 in.	.60	.55	.50
2 to 3 ft.	.75	.70	.60
3 to 4 ft.	1.25	1.00	

—**alternifolia**. 20 ft. (pagoda dogwood) Medium loam,
moist, PH 5.5-7.0 sun or shade.

2 to 3 ft.	.70	.65	.60
3 to 4 ft.	1.00	.90	.80
4 to 5 ft.	1.35	1.25	

—**amomum**. 8 ft. (Silky Dogwood) Medium loam,
moist, PH 6.0-7.5, sun or part shade.

2 to 3 ft.	.60	.55	.45
3 to 4 ft.	.70	.60	.50
4 to 5 ft.	.90	.80	.70
5 to 6 ft.	1.25	1.15	1.00

—**baileyi**. 10 ft. (Bailey Dogwood) Medium loam, moist,
PH 6.0-7.5, sun or part shade.

2 to 3 ft.	.60	.55	.45
3 to 4 ft.	.70	.60	.50
4 to 5 ft.	.90	.80	.70

—**florida**. 20 ft. (White Flowering Dogwood) Good
medium loam, moist, well drained, PH 5.0-6.5,
sun or part shade.

2 to 3 ft. B&B	2.50	2.25	2.00
3 to 4 ft. B&B	3.00	2.75	2.50
4 to 5 ft. B&B	5.00	4.50	4.00
5 to 6 ft. B&B	6.50	6.00	5.50
6 to 8 ft. B&B	10.00	9.00	8.00
10 to 12 ft. B&B	30.00	27.50	25.00
12 to 15 ft. and up, multiple stem, price on request			

—**florida rubra**. 20 ft. (Red Flowering Dogwood) Good
medium loam, moist, well drained, PH 5.0-6.5,
sun or part shade.

18 to 24 in. B&B	2.50	2.25	2.00
2 to 3 ft. B&B	3.50	3.25	3.00
3 to 4 ft. B&B	5.00	4.50	4.00
4 to 5 ft. B&B	7.50	7.00	
5 to 6 ft. B&B	10.00	9.50	9.00

Cornus — Continued

1-4 Each	5-24 Each	25-up Each
-------------	--------------	---------------

—**florida welchi**. 25' (variegated dogwood). Medium loam, moist, well drained, PH 5.0-6.5.
2 to 3 ft. B&B..... 7.00 6.00

—**kousa**. 20 ft. (kousa dogwood) medium loam, moist, well drained, PH 5.0-6.5 partial shade preferred.
18 to 24 in. B&B..... 2.50 2.00
2 to 3 ft. B&B..... 3.50 3.00
3 to 4 ft. B&B..... 4.50 4.00

—**mas**. 20 ft. (Cornelian Cherry) Good, medium loam, moist, PH 6.0-7.5, sun or part shade.
18 to 24 in..... .80 .70 .60
2 to 3 ft..... 1.00 .90 .80
3 to 4 ft..... 1.75 1.50 1.25
4 to 5 ft..... 3.00 2.50 2.00
5 to 6 ft..... 3.50 3.00
6 to 8 ft..... 6.00 5.00

—**paniculata**. (see *racemosa*)

—**rasemosa**. 12 ft. (Gray Dogwood) Medium loam, moist, PH 6.0-7.5, sun or shade.
18 to 24 in..... .40 .35 .30
2 to 3 ft..... .60 .55 .45
3 to 4 ft..... .75 .65 .55

—**sanguinea**. 10 ft. (Bloodtwig Dogwood) Medium loam moist, PH 6.0-7.5, sun or part shade.
2 to 3 ft..... .60 .55 .45
3 to 4 ft..... .70 .60 .50
4 to 5 ft..... .90 .80 .70

—**stolonifera**. 10 ft. (Red Osier Dogwood) Medium loam, moist, PH 6.0-7.5, sun or part shade.
2 to 3 ft..... .60 .55 .45
3 to 4 ft..... .70 .60 .50
4 to 5 ft..... .90 .80 .70
5 to 6 ft..... 1.25 1.15 1.00

—**stolonifera flaviramae**. 6 ft. (Golden Twig Dogwood) Medium loam, moist, PH 6.0-7.5, sun.
2 to 3 ft..... .60 .55 .50
3 to 4 ft..... .70 .60 .50

CORYLUS

—**america**. 12 ft. (American Hazelnut) Medium loam, moist, PH 6.0-7.0, sun or medium shade.
3 to 4 ft..... 1.00 .90
4 to 5 ft..... 1.50 1.25
5 to 6 ft..... 1.75 1.50

—**avellana**. 15 ft. (European filbert) Medium loam, moist, PH 6.0-7.0, medium shade, sun.
3 to 4 ft..... 1.00 .90
4 to 5 ft..... 1.50 1.25

COTINUS

	1-4 Each	5-24 Each	25-up Each
— coggygrina (smoke tree) 15 ft. Medium loam, well drained, PH 5.5-7.5 sun.			
18 to 24 in.....	.80	.70	.60
2 to 3 ft.....	1.00	.90	.80
3 to 4 ft.....	1.50	1.25	1.00
4 to 5 ft.....	1.75	1.50	1.25
5 to 6 ft.....	2.00	1.75	1.50
6 to 8 ft.....	3.00	2.75	2.50

COTONEASTER

— acutifolia . 12 ft. (Peking Cotoneaster) Rich, medium loam, moist, PH 6.0-7.5, sun.			
18 to 24 in.....	.50	.45	.40
2 to 3 ft.....	.60	.55	.50
3 to 4 ft.....	.80	.70	.65
— adpressa . 2 ft. (Creeping Cotoneaster) Rich medium loam, moist, PH 6.0-7.5, sun.			
10 to 12 in. B&B.....	1.75	1.65	1.50
12 to 15 in. B&B.....	2.50	2.25	2.00
15 to 18 in. B&B.....	3.00	2.75	2.50
18 to 24 in. B&B.....	3.50	3.00	
— apiculata . 5 ft. (Large Red Berries) Rich, medium loam, moist, PH 6.0-7.5, sun or slight shade.			
12 to 15 in. B&B.....	2.00	1.75	1.50
15 to 18 in. B&B.....	3.00	2.75	2.50
18 to 24 in. B&B.....	3.50	3.25	3.00
24 to 30 in. B&B.....	4.00	3.75	
— bullata . 6 ft. (Red Berries) Rich, medium loam, moist, PH 6.0-7.5, sun.			
2 to 3 ft. B&B.....	2.50	2.25	2.00
3 to 4 ft. B&B.....	3.00	2.75	2.50
4 to 5 ft. B&B.....	4.00	3.75	3.50
— dielsiana . 6 ft. (Diel's Cotoneaster) Rich medium loam, moist, PH 6.0-7.5, sun.			
15 to 18 in. B&B.....	1.75	1.50	
18 to 24 in. B&B.....	2.25	2.00	
2 to 3 ft. B&B.....	3.00	2.75	2.50
— divericata . 6 ft. (Spreading Cotoneaster) Rich, medium loam, moist, PH 6.0-7.5, sun or slight shade.			
18 to 24 in. B&B.....	2.00	1.75	1.50
2 to 2½ ft. B&B.....	2.50	2.25	2.00
2½ to 3 ft. B&B.....	3.00	2.75	2.50
3 to 4 ft. B&B.....	3.50	3.25	3.00
— cotoneaster foveolata 10 ft. (glossy cotoneaster). Rich, medium loam, moist, PH 6.0-7.5.			
2 to 3 ft. B&B.....	2.50	2.25	
3 to 4 ft. B&B.....	3.50	3.00	
— horizontalis . 3 ft. (Prostrate Quinceberry) Rich, medium loam, moist, PH 6.0-7.5, sun.			
12 to 15 in. B&B.....	2.00	1.75	1.50
15 to 18 in. B&B.....	2.50	2.25	2.00
18 to 24 in. B&B.....	3.00	2.75	2.50
24 to 30 in. B&B.....	3.50	3.00	

Cotoneaster — Continued

1-4 Each	5-24 Each	25-up Each
-------------	--------------	---------------

—**microphylla**. 15 ft. (Rockspray) Rich, medium loam, moist, PH 6.0-7.5, sun.

12 to 15 in. B&B.....	2.00	1.75	1.50
15 to 18 in. B&B.....	2.50	2.25	2.00
18 to 24 in. B&B.....	3.00	2.75	2.50
24 to 30 in. B&B.....	3.50	3.00	

—**praecox**. 3 ft. (Rich medium loam, moist, PH 6.0-7.5

12 to 15 in. B&B.....	2.25	2.00	
15 to 18 in. B&B.....	2.75	2.50	

—**salicifolia**. 10 ft. (Willowleaf Cotoneaster) Rich, medium loam, moist, PH 6.0-7.5, sun or part shade.

18 to 24 in. B&B.....	2.00	1.75	1.50
2 to 3 ft. B&B.....	2.50	2.25	2.00
3 to 4 ft. B&B.....	3.00	2.75	2.50
4 to 5 ft. B&B.....	3.50	3.25	3.00

—**wilsoni**. 4 ft. (Wilson Cotoneaster) Rich, medium loam, moist well drained, PH 6.0-7.5, sun.

12 to 15 in. B&B.....	2.00	1.75	1.50
15 to 18 in. B&B.....	2.50	2.25	2.00
18 to 24 in. B&B.....	3.00	2.75	2.50
24 to 30 in. B&B.....	3.50	3.00	

CRATAEGUS

—**coccinea (Intricata)** 15 ft. (Thicket Hawthorn) Medium loam, or heavy soil, moist, PH 6.0-7.5, sun.

2 to 3 ft.....	2.50	2.25	
3 to 4 ft.....	3.00	2.50	
4 to 5 ft.....	4.00	3.50	
5 to 6 ft.....	6.00	5.50	
6 to 8 ft.....	10.00	9.00	
8 to 10 ft.....	12.00	11.00	

—**crusgalli**. 15 ft. (Cockspur Thorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun.

2 to 3 ft.....	2.50	2.25	2.00
3 to 4 ft.....	3.00	2.75	2.50
4 to 5 ft.....	4.00	3.75	3.50
5 to 6 ft.....	6.50	6.00	5.50
6 to 8 ft.....	10.00	9.00	8.00
8 to 10 ft.....	12.00	11.00	

—**mollis**. 18 ft. (Downy Hawthorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun.

2 to 3 ft.....	2.50	2.25	2.00
3 to 4 ft.....	3.00	2.75	2.50
4 to 5 ft.....	4.00	3.75	3.50
5 to 6 ft.....	6.50	6.00	5.50
6 to 8 ft.....	10.00	9.00	8.00
8 to 10 ft.....	12.00	11.00	

CRATAEGUS — Continued

1-4 Each	5-24 Each	25-up Each
-------------	--------------	---------------

—**oxyacantha**. 12 ft. (English Hawthorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun or part shade.

2 to 3 ft.	2.50	2.25	2.00
3 to 4 ft.	3.00	2.75	2.50
4 to 5 ft.	4.00	3.75	3.50
5 to 6 ft.	6.50	6.00	5.50
6 to 8 ft.	10.00	9.00	8.00
8 to 10 ft.	12.00	11.00	

—**oxyacantha pauli**. 15 ft. (Paul's Scarlet Thorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun.

2 to 3 ft.	2.75	2.50	2.00
3 to 4 ft.	3.50	3.25	3.00
4 to 5 ft.	5.00	4.50	4.00
5 to 6 ft.	6.50	6.00	5.50
6 to 8 ft.	10.00	9.00	8.00
8 to 10 ft.	12.00	11.00	10.00

—**oxyacantha plena**. 15 ft. double English hawthorn). Medium loam or heavy soil, moist, PH 6.0-7.5 sun.

4 to 5 ft.	5.00	4.50	
5 to 6 ft.	6.00	5.50	
6 to 8 ft.	10.00	9.00	

—**oxyacantha punicea**. 15 ft. (single red English hawthorn) medium loam or heavy soil, moist, PH 6.0-7.5, sun.

4 to 5 ft.	5.00	4.50	
5 to 6 ft.	6.00	5.50	
6 to 8 ft.	10.00	9.00	

—**phaenopyrum (cordata)** 20 ft. (Washington Hawthorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun or part shade.

2 to 3 ft.	2.50	2.25	2.00
3 to 4 ft.	3.00	2.75	2.50
4 to 5 ft.	4.00	3.75	3.50
5 to 6 ft.	6.50	6.00	5.50
6 to 8 ft.	10.00	9.00	8.00
8 to 10 ft.	12.00	11.00	

All crataegus varieties above listed are bare roots. If B&B is desired, price schedule of balling will be found on inside back cover.

CYDONIA See Chaenomeles**DAPHNE**

—**cneorum**. 15 in. (Garland Flower) Porous peaty or sandy, moist, well drained, PH 5.5-7.5, sun.

6 to 8 in. B&B.	1.25	1.15	1.00
9 to 12 in. B&B.	1.50	1.35	1.25
12 to 15 in. B&B.	2.00	1.75	1.50

DESMODIUM (see Lespedeza)

DEUTZIA

—**gracilis**. 3 ft. (Slender Deutzia) Sandy to silty loam, moist, well drained, PH 6.0-7.5, sun.

	1-4 Each	5-24 Each	25-up Each
9 to 12 in.....	.35	.30	.25
12 to 15 in.....	.40	.35	.30
15 to 18 in.....	.50	.45	.40
18 to 24 in.....	.60	.55	.50

—**gracilis rosea**. 4 ft. (Rose Panicle Deutzia) Sandy to silty loam, moist, well drained, PH 6.0-7.5, sun.

	1-4 Each	5-24 Each	25-up Each
12 to 15 in.....	.45	.40	.35
15 to 18 in.....	.50	.45	.40
18 to 24 in.....	.65	.60	.55
24 to 30 in.....	.80	.70	.60

—**lemoini**. 5 ft. (Lemoine Deutzia) Sandy to silty loam, moist, well drained, PH 6.0-7.5, sun or partial shade.

	1-4 Each	5-24 Each	25-up Each
15 to 18 in.....	.40	.35	.30
18 to 24 in.....	.55	.50	.45
24 to 30 in.....	.70	.60	.50

—**scabra candissima**. 12 ft. (Snowflake Deutzia) Sandy to silty loam, moist well drained, PH 6.0-7.5, sun.

	1-4 Each	5-24 Each	25-up Each
2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50

—**scabra crenata rosea plena**. 7 ft. (Double Rose Deutzia) Sandy to silty loam, moist, well drained, PH 6.0-7.5, sun.

	1-4 Each	5-24 Each	25-up Each
2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
4 to 5 ft.....	.90	.80	.70

—**scabra pride of Rochester**. 7 ft. (Double Rose Deutzia) Sandy to silty loam, moist, well drained, PH 6.0-7.5, sun.

	1-4 Each	5-24 Each	25-up Each
2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
4 to 5 ft.....	.90	.80	.70

DIERVILLA

—**trifida**. 4 ft. (Dwarf Bush Honeysuckle) Sandy to silty loam, moist, PH 6.0-7.5, sun or part shade.

	1-4 Each	5-24 Each	25-up Each
15 to 18 in.....	.45	.40	.35
18 to 24 in.....	.50	.45	
2 to 3 ft.....	.60	.50	

DIOSPYROS

—**virginiana**. 15 ft. (Common Persimmon) Silty clay loam, moist, PH 6.0-7.5, sun or part shade.

	1-4 Each	5-24 Each	25-up Each
5 to 6 ft.....	4.00	3.50	3.00
6 to 8 ft.....	5.50	5.00	
8 to 10 ft.....	6.50	6.00	
10 to 12 ft.....	9.00	8.00	

ELEAGNUS

—*angustifolia*. 15 ft. (Russian Olive) Silty clay, moist
well drained, PH 6.0-7.5, sun.

	Each 1-4	Each 5-24	Each 25-up
2 to 3 ft.....	.55	.50	.45
3 to 4 ft.....	.65	.60	.55
4 to 5 ft.....	.90	.85	.75
5 to 6 ft.....	1.25	1.15	1.00
6 to 8 ft.....	2.50	2.25	2.00

EUONYMUS

—*alatus*. 8 ft. (Winged Euonymus) Silty clay loam,
moist, PH 5.5-7.5, sun or medium shade.

18 to 24 in.....	1.00	.85	.75
2 to 3 ft.....	1.25	1.15	1.00
3 to 4 ft.....	1.50	1.35	1.25
4 to 5 ft.....	2.50	2.25	1.75
5 to 6 ft.....	4.00	3.50	3.00

—*alatus compacta*. 6 ft. (Dwarf Winged Euonymus)
Silty clay loam, moist, PH 5.5-7.5, sun or med-
ium shade.

12 to 15 in.....	.75	.65	.60
15 to 18 in.....	1.00	.85	.75
18 to 24 in.....	1.25	1.15	1.00
2 to 2½ ft.....	1.75	1.50	1.25
2½ to 3 ft.....	2.00	1.75	1.50
3 to 4 ft.....	2.50	2.25	1.75

—*americanus*. 8 ft. (Brook Euonymus) Silty clay loam,
moist, PH 5.5-7.5, sun or part shade, tolerates
wet soil.

18 to 24 in.....	.60	.50	.45
2 to 3 ft.....	.85	.75	

—*bungeanus*. 15 ft. (Winterberry Euonymus) Silty clay
loam, moist, PH 5.5-7.5, sun or medium shade.

4 to 5 ft.....	.90	.80	
5 to 6 ft.....	1.25	1.15	1.00
6 to 8 ft.....	2.00	1.75	

—*europaeus*. 15 ft. (European Burning Bush) Silty
clay loam, moist, PH 5.5-7.5, sun-shade.

2 to 3 ft.....	.65	.55	.45
3 to 4 ft.....	.70	.65	.55
4 to 5 ft.....	.90	.80	.75
5 to 6 ft.....	1.25	1.00	

—*f. carriere*. 3 ft. (Glossy Wintercreeper) Silty clay
loam, moist, PH 5.5-7.5, sun-shade.

9 to 12 in.....	.50	.45	.40
12 to 15 in.....	.60	.55	.50
15 to 18 in.....	.75	.70	.65

—*f. coloratus*. 1 ft. (Red-leaved Wintercreeper) Silty
clay loam, moist, PH 5.5-7.5, sun or shade.

12 to 15 in.....	.40	.35	.30
15 to 18 in.....	.50	.45	.40
18 to 24 in.....	.60	.55	.50
24 to 30 in.....	1.00	.90	.80
30 to 36 in.....	1.25	1.15	1.00

EUONYMUS -- Continued

	1-4 Each	5-24 Each	25-up Each
--	-------------	--------------	---------------

- f. coloratus upright.** (Red leaved wintercreeper).
Similar to coloratus but taller grower, silty
clay loam, moist, PH 5.5-7.5, sun or shade.

15 to 18 in.....	.50	.45	.40
18 to 24 in.....	.60	.55	.50
24 to 30 in.....	1.00	.90	.80
30 to 36 in.....	1.25	1.15	1.00

- f. erecta.** 3 ft. (Upright Wintercreeper) Silty clay
loam, moist, PH 5.5-7.5, sun or shade.

12 to 15 in.....	.55	.50	.45
15 to 18 in.....	.75	.65	.60
18 to 24 in.....	.90	.85	.75

- fortuni radicans.** 1 ft. (Wintercreeper) Sandy to silty
clay, moist, PH 5.5-7.5, sun or shade.

9 to 12 in.....	.50	.45	.40
12 to 15 in.....	.65	.60	.55
15 to 18 in.....	.75	.70	.65
18 to 24 in.....	1.00	.90	.75

- f. vegetus.** 4 ft. (Largeleaf Wintercreeper) Silty clay
loam, moist, PH 5.5-7.5, sun or shade.

9 to 12 in.....	.75	.65	.60
12 to 15 in.....	.90	.80	.75
15 to 18 in.....	1.10	1.00	.90
18 to 24 in.....	1.50	1.35	1.25
24 to 30 in.....	2.00	1.75	1.50

- kiautschovicus** (patens). 8 ft. Sandy to silty clay,
moist, well drained, PH 5.5-7.5, sun or shade.

12 to 15 in.....	1.00	.85	.75
15 to 18 in.....	1.25	1.15	1.00
18 to 24 in.....	1.50	1.35	1.25
24 to 30 in.....	1.75	1.65	1.50

- oxyphyllus** 15' Silty clay loam, moist, PH 5.5-7.5,
sun-shade.

18 to 24 in.....	.40	.35	.30
2 to 3 ft.....	.55	.50	.45
3 to 4 ft.....	.65	.60	.55

- patens** (see kiautschovicus).

- yedoensis.** 10 ft. (Yeddo Euonymus) Silty clay loam,
moist, PH 5.5-7.5, sun or part shade.

2 to 3 ft.....	.55	.50	.45
3 to 4 ft.....	.65	.60	.55
4 to 5 ft.....	.85	.80	.75

EXOCHORDIA

- rasemosa.** 10 ft. (Pearl Bush) Medium loam, moist,
well drained, PH 6.0-7.5- sun.

18 to 24 in.....	.40	.35	.30
2 to 3 ft.....	.60	.55	.50
3 to 4 ft.....	.70	.65	

FAGUS

	1-4 Each	5-24 Each	25-up Each
--	-------------	--------------	---------------

—**grandiflora**. 60 ft. (American Beech) Medium loam, moist, well drained, PH 5.0-7.0, sun or part shade, avoid alkaline soil.

3 to 4 ft. B&B.....	5.00	4.50	4.00
4 to 5 ft. B&B.....	6.00	5.50	5.00
5 to 6 ft. B&B.....	9.00	8.00	
6 to 8 ft. B&B.....	13.00	12.00	

—**sylvatica**. 75 ft. (European Beech) Medium loam, moist, well drained, PH 6.0-7.0, sun-slight shade.

2 to 3 ft. B&B.....	4.50	4.00	
3 to 4 ft. B&B.....	6.00	5.50	
4 to 5 ft. B&B.....	8.00	7.00	
3 to 5 in. B&B	price on request		

—**sylvatica fastigiata**. 25 ft. (Pyramidal European beech). Medium loam, moist, well drained, PH 6.0-7.0 sun.

4 to 5 ft. B&B.....	8.00	7.00	
5 to 6 ft. B&B.....	10.00	9.00	

—**sylvatica riversi**. 45 ft. (Rivers Purple Beech) Medium loam, moist, well drained, PH 5.0-7.0, sun or part shade.

2 to 3 ft. B&B.....	8.00	7.00	6.00
3 to 4 ft. B&B.....	11.80	10.00	9.00

FONTANESIA

—**fortunei**. 15 ft. (fortune fontanesia). Sandy to silty clay, moist, sun or part shade, PH 6.0-7.5.

2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
4 to 5 ft.....	.90	.80	.70
5 to 6 ft.....	1.25	1.15	1.00

FORSYTHIA

—**intermedia**. 7 ft. (Border Forsythia) Rich medium loam, moist, PH 6.0-7.5, sun or light shade.

2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
4 to 5 ft.....	.90	.80	.70
5 to 6 ft.....	1.25	1.15	1.00

—**intermedia primula**. 10 ft. (primrose border forsythia) Rich, medium loam, moist, PH 6.0-7.5, sun or part shade.

2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50

No orders will be accepted for balled nursery stock that is to be boxed for shipment, but can often include small balled stock orders as part load on trucks. Please inquire. No orders will be accepted for any nursery stock under the value of \$25.00, unless called for.

FORSYTHIA — Continued		1-4 Each	5-24 Each	25-up Each
— <i>intermedia spectabilis</i> . 8 ft. (Showy Border Forsythia) Rich, medium loam, moist, PH 6.0-7.5, sun or light shade.				
2 to 3 ft.60	.55	.45
3 to 4 ft.70	.60	.50
4 to 5 ft.90	.80	.70
5 to 6 ft.	1.25	1.15	1.00
— <i>ovata</i> . 8 ft. (Korean Forsythia) Rich, medium loam, moist, PH 6.0-7.5, sun or light shade.				
2 to 3 ft.60	.50	
3 to 4 ft.70	.60	
4 to 5 ft.80	.75	
— <i>suspensa</i> . 5 ft. (Weeping Forsythia) Rich medium loam, moist, PH 6.0-7.5, sun or light shade.				
2 to 3 ft.60	.55	.45
3 to 4 ft.70	.60	.50
4 to 5 ft.90	.80	.70
— <i>suspensa fortunei</i> . 7 ft. (Fortune Forsythia) Rich, medium loam, moist, PH 6.0-7.5, sun or light shade.				
2 to 3 ft.60	.55	.45
3 to 4 ft.70	.60	.50
4 to 5 ft.90	.80	.70
5 to 6 ft.	1.25	1.15	1.00
— <i>viridissima</i> . 5 ft. (Greenstem Forsythia) Rich, medium loam, moist, PH 6.0-7.5, sun or part shade.				
2 to 3 ft.55	.50	.45
3 to 4 ft.60	.55	.50
4 to 5 ft.90	.80	.70

FRAXINUS

— <i>americana</i> . 60 ft. (White Ash) Medium loam, moist, PH 6.0-7.5, sun.				
6 to 8 ft.	2.25	2.00	1.75
8 to 10 ft.	2.50	2.25	2.00
1¼ to 1½ in.	3.50	3.25	3.00
1½ to 1¾ in.	6.00	5.50	5.00
1¾ to 2 in.	7.00	6.00	
2 to 2½ in.	9.00	8.00	
— <i>excelsior</i> . 90 ft. (European Ash) Medium loam, moist, PH 6.0-7.5, sun.				
6 to 8 ft.	2.25	2.00	1.75
8 to 10 ft.	2.50	2.25	2.00
1¼ to 1½ in.	3.50	3.25	3.00
1½ to 1¾ in.	6.00	5.50	5.00
1¾ to 2 in.	7.00	6.00	
— <i>lanceolata</i> . 60 ft. (Green Ash) Medium loam, moist, PH 6.0-7.5, sun, tolerates wet soil.				
6 to 8 ft.	2.25	2.00	1.75
8 to 10 ft.	2.50	2.25	2.00
1¼ to 1½ in.	3.50	3.25	3.00

GINKGO

			1-4 Each	5-24 Each	25-up Each
—biloba. 60 ft. (Maidenhair Tree) Rich sandy to silty loam, moist, well drained, PH 5.5-7.5, sun.					
5	to	6 ft.	4.00	3.50	3.00
6	to	8 ft.	5.00	4.50	4.00
3	to	3½ in.	25.00	22.50	
3½	to	4 in.	35.00	30.00	
4	to	5 in.	45.00	40.00	

GLEDITSIA

—triacanthos. 60 ft. (Honey Locust) Rich silty clay loam, moist, PH 6.0-8.0, sun.					
5	to	6 ft.	1.75	1.50	
6	to	8 ft.	3.00	2.75	2.50
8	to	10 ft.	3.50	3.25	3.00
1¼	to	1½ in.	5.50	5.00	4.50
1½	to	1¾ in.	7.00	6.50	6.00
1¾	to	2 in.	10.00	9.00	8.00
—triacanthos inermis. 50 ft. (Thornless Honey Locust) Rich, silty clay loam, moist, PH 6.0-8.0, sun.					
5	to	6 ft.	2.00	1.75	1.50
6	to	8 ft.	3.00	2.75	2.50
8	to	10 ft.	4.00	3.50	3.00
1¼	to	1½ in.	5.50	5.00	4.50
1½	to	1¾ in.	7.00	6.50	6.00
1¾	to	2 in.	10.00	9.00	8.00
2	to	2½ in.	12.00	11.00	10.00

—Moraine thornless honeylocust.

Plant patent No. 836.

6	to	8 ft.	6.00	5.50	5.00
8	to	10 ft.	9.00	8.00	
1½	to	1¾ in.	11.00	10.00	

GYMNOCLADUS

—dioeca. 40 ft. (Kentucky Coffee Tree) Rich, medium loam, moist, PH 6.0-8.0, sun.					
4	to	5 ft.	3.50	3.00	
5	to	6 ft.	4.50	4.00	
6	to	8 ft.	6.50	6.00	
2	to	2½ in.	15.00	13.00	

HALESIA

—carolina (carolina). 14 ft. (Great Silverbell) Rich medium loam, moist, well drained, PH 5.5-7.5, sun.					
2	to	3 ft.	.75	.65	.50
3	to	4 ft.	1.00	.85	.75
4	to	5 ft.	1.50	1.25	1.00
5	to	6 ft.	2.00	1.75	1.50
6	to	8 ft.	3.50	3.25	3.00
8	to	10 ft.	5.00	4.50	4.00

HAMAMELIS

—vernalis. 8 ft (vernal witchazel). Medium loam, moist, well drained, PH 5.5-7.5.					
2	to	3 ft.	1.00	.75	
3	to	4 ft.	1.25	1.00	
4	to	5 ft.	1.25	1.15	
5	to	6 ft.	2.00	1.50	

HAMAMELIS — Continued

		1-4 Each	5-24 Each	25-up Each
— virginiana .	15 ft. (Witch-Hazel) Medium loam, moist, well drained, PH 6.0-7.0, sun-medium shade.			
2 to 3 ft.90	.75	.65
3 to 4 ft.	1.25	1.00	.75
4 to 5 ft.	1.50	1.25	1.00
5 to 6 ft.	1.75	1.50	1.25

HEDERA

— helix .	20 ft. (English Ivy) Medium loam, moist, well drained, PH 6.0-7.5, partial shade-shade.			
2 year, 2¼ in. pots30	.25	.20
— helix baltica .	15 ft. (Small Leaf English Ivy) Medium loam, moist, well drained, PH 6.0-7.5, partial shade-shade.			
2 year, 2¼ in. pots35	.30	.25

HIBISCUS — Syriacus. 15 ft. (Althea) Deep, sandy to silty loam, moist, PH 6.5-7.5, sun or part shade.

— anemonaeflorus	— double rose			
— ardens	— double violet			
— banner	— double white, red stripes			
— coelestis	— single blue			
— lucy	— double red			
— pulcherrima	— double flesh, red center			
— totus albus	— single white			
18 to 24 in.40	.35	.30
2 to 3 ft.60	.55	.45
3 to 4 ft.70	.60	.50
4 to 5 ft.90	.80	.70

HYDRANGEA

— arborescens grandiflora .	6 ft. (Hills of Snow) Medium to silty clay loam, moist, PH 6.5-8.0, sun-slight shade.			
18 to 24 in.60	.50	.40
2 to 3 ft.70	.60	.50
— nikko blue .	3 ft. (Hardy blue hydrangea) Medium loam, moist, PH 6.0-7.5, sun.			
9 to 12 in.60	.55	.50
12 to 15 in.75	.70	.65
15 to 18 in.90	.85	.80
— paniculata grandiflora .	7 ft. (Peegee Hydrangea) Medium to silty clay loam, moist, PH 6.0-7.5, sun.			
12 to 18 in.35	.30	.25
18 to 24 in.40	.35	.30
2 to 3 ft.70	.60	.50

HYPERICUM

— aureum .	4 ft. (Golden St. Johnswort) Sandy to medium loam, moist, well drained, PH 6.5-8.0, sun-slight shade.			
18 to 24 in.45	.40	.35
2 to 2½ ft.50	.45	.40
2½ to 3 ft.60	.55	.50

HYPERICUM — Continued

1-4 5-24 25-up
Each Each Each

—**densiflorum**. 4 ft. (St. Johnswort) Sandy to medium loam, moist, well drained, PH 6.5-8.0, sun-slight shade.

18	to	24	in.	.45	.40	.35
2	to	2½	ft.	.50	.45	.40
2½	to	3	ft.	.60	.55	.50
3	to	4	ft.	.70	.65	.60

—**kalmianum** 4' sandy to medium loam, moist, well drained, PH 6.5-8.0 sun, light shade.

18	to	24	in.	.45	.40	.35
24	to	30	in.	.50	.45	.40

—**prolificum**. 5 ft. (Shrubby St. Johnswort) Sandy to medium loam, moist, well drained, PH 6.5-8.0, sun-slight shade.

18	to	24	in.	.45	.40	.35
2	to	2½	ft.	.50	.45	.40
2½	to	3	ft.	.60	.55	.50
3	to	4	ft.	.70	.65	.60

ILEX

—**crenata** 10 ft. (Japanese Holly) medium loam, moist, well drained, PH 5.5-7.0.

12	to	15	in. B&B	2.00	1.50	
15	to	18	in. B&B	2.50	2.25	
18	to	24	in. B&B	4.00	3.50	

—**crenata convexa** 10 ft. (convexleaf Japanese Holly) medium loam, moist, well drained, sun or part shade, PH 5.5-7.0.

12	to	15	in. B&B	2.50	2.25	2.00
15	to	18	in. B&B	3.00	2.75	2.50
18	to	24	in. B&B	4.00	3.75	3.50

—**crenata rotundifolia** 6 ft. medium loam, moist, well drained, PH 5.5-7.0.

12	to	15	in. B&B	2.00	1.75	1.50
15	to	18	in. B&B	2.50	2.25	2.00
18	to	24	in. B&B	3.50	3.25	3.00
24	to	30	in. B&B	4.50	4.00	

—**glabra**. 5 ft. (Ink Berry) Medium loam, moist, PH 4.5-6.0, sun or shade.

12	to	15	in. B&B	1.75	1.50	1.25
15	to	18	in. B&B	2.25	2.00	1.75
18	to	24	in. B&B	2.75	2.50	2.25
2	to	2½	ft. B&B	3.50	3.25	3.00
2½	to	3	ft. B&B	4.50	4.00	
3	to	3½	ft. B&B	5.50	5.00	
3½	to	4	ft. B&B	6.50	6.00	

—**opaca**. 20 ft. (American Holly) Sandy to silty clay, moist, well drained, PH 5.0-7.0, sun-part shade.

15	to	18	in. B&B	2.50	2.25	2.00
18	to	24	in. B&B	4.00	3.50	3.00
24	to	30	in. B&B	4.50	4.00	3.50
30	to	36	in. B&B	4.50	4.00	
3	to	4	ft. B&B	7.50	7.00	
4	to	5	ft. B&B	10.00	9.00	
6	to	8	ft. B&B	25.00	22.00	

ILEX — Continued		1-4 Each	5-24 Each	25-up Each
— <i>verticillata</i> . 6 ft. (Winterberry) Light to medium loam, moist, well drained, PH 5.0-6.0, sun or part shade.				
18 to 24 ft.60	.55	.50
2 to 3 ft.90	.80	.70
3 to 4 ft.	1.00	.90	

JUGLANS

— <i>nigra</i> . 80 ft. (Black Walnut) Medium loam, moist, PH 6.0-7.5, sun.				
5 to 6 ft.	3.00	2.50	
6 to 8 ft.	4.00	3.50	
8 to 10 ft.	5.50	5.00	
1½ to 2 in.	9.00	8.00	
2 to 2½ in.	11.00	10.00	
2½ to 3 in.	16.00	15.00	
— <i>sieboldiana</i> . 50 ft. (Japanese Walnut) Medium loam, moist, PH 6.0-7.5, sun.				
6 to 8 ft.	4.50	4.00	
8 to 10 ft.	5.50	5.00	
1¾ to 2 in.	9.00	8.00	

JUNIPERUS

— <i>chinensis</i> . 20 ft (Chinese Juniper) Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.				
2 to 2½ ft. B&B	3.00	2.75	2.50
3 to 4 ft. B&B	4.00	3.75	3.50
— <i>chinensis columnaris glauca</i> . 20 ft. (Blue Chinese Juniper) Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.				
18 to 24 in. B&B	2.50	2.25	2.00
2 to 2½ ft. B&B	3.00	2.75	2.50
2½ to 3 ft. B&B	3.50	3.25	3.00
3 to 4 ft. B&B	4.50	4.25	4.00
4 to 5 ft. B&B	6.00	5.50	5.00
— <i>chinensis mascula</i> . 12 ft. Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.				
2 to 2½ ft. B&B	3.00	2.75	2.50
2½ to 3 ft. B&B	3.50	3.25	3.00
3 to 4 ft. B&B	4.50	4.25	4.00
4 to 5 ft. B&B	6.00	5.50	5.00
— <i>chinensis pfitzeriana</i> . 6 ft. (Pfitzer Juniper) Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.				
12 to 15 in. spreading B&B	2.00	1.75	1.50
15 to 18 in. spreading B&B	2.50	2.25	2.00
18 to 24 in. spreading B&B	3.00	2.75	2.50
24 to 30 in. spreading B&B	3.50	3.25	3.00
30 to 36 in. spreading B&B	4.50	4.25	4.00

JUNIPERUS — Continued

	1-4 Each	5-24 Each	25-up Each
--	-------------	--------------	---------------

—**pfitzeriana glauca** 6 ft. (blue pfitzer juniper) medium to silty clay, well drained, PH 5.5-7.0, sun.

12 to 15 in. B&B.....	2.00	1.75	1.50
15 to 18 in. B&B.....	2.50	2.25	2.00
18 to 24 in. B&B.....	3.00	2.75	2.50
24 to 30 in. B&B.....	3.50	3.25	3.00
30 to 36 in. B&B.....	4.50	4.25	4.00
3 to 3½ ft. B&B.....	6.00	5.50	5.00

—**pfitzeriana Kallay's Compacta**. Same as above.

12 to 15 in. B&B.....	2.00	1.75	1.50
15 to 18 in. B&B.....	2.50	2.25	2.00
18 to 24 in. B&B.....	3.25	3.00	2.75
24 to 30 in. B&B.....	4.00	3.75	3.50
30 to 36 in. B&B.....	4.50	4.25	4.00

—**chinensis sargentii**. 1½ ft. (Sargent Juniper) Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.

12 to 15 in. B&B.....	2.50	2.25	2.00
15 to 18 in. B&B.....	3.00	2.75	2.50
18 to 24 in. B&B.....	3.75	3.50	

—**communis depressa**. 2 ft. (Prostrate Juniper) Medium to silty clay loam, moist, well drained, PH 5.5-7.0, sun.

18 to 24 in. B&B.....	3.00	2.75	2.50
24 to 30 in. B&B.....	3.50	3.25	3.00
30 to 36 in. B&B.....	4.50	4.25	4.00

—**communis depressa vase shaped** 10 ft. Medium to silty clay loam, moist, well drained, PH 5.5-7.0, sun.

18 to 24 in. B&B.....	3.00	2.75	2.50
24 to 30 in. B&B.....	3.50	3.25	3.00
30 to 36 in. B&B.....	4.50	4.25	

—**communis hibernica**. 15 ft. (Irish Juniper) Medium to silty clay loam, moist, well drained, PH 5.5-7.0, sun.

18 to 24 in. B&B.....	1.50	1.35	1.25
24 to 30 in. B&B.....	2.00	1.75	1.50
30 to 36 in. B&B.....	2.50	2.25	2.00
3 to 4 ft. B&B.....	3.00	2.75	2.50

—**excelsa stricta**. 12 ft. (Spiney Greek Juniper) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun.

12 to 15 in. B&B.....	2.00	1.75	1.50
15 to 18 in. B&B.....	2.25	2.00	
18 to 24 in. B&B.....	3.00	2.50	
24 to 30 in. B&B.....	3.50	3.00	

—**horizontalis plumosa**. 2 ft. (Andorra Juniper) Medium to silty clay loam, moist, well drained, PH 5.5-7.0, sun.

12 to 15 in. B&B.....	2.00	1.75	1.50
15 to 18 in. B&B.....	2.50	2.25	2.00
18 to 24 in. B&B.....	3.00	2.75	2.50
24 to 30 in. B&B.....	3.50	3.25	3.00

JUNIPERUS — Continued

	1-4 Each	5-24 Each	25-up Each
— horizontalis . 1 ft. (Creeping Juniper) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun or slight shade.			
12 to 15 in. B&B.....	2.00	1.75	1.50
15 to 18 in. B&B.....	2.50	2.25	2.00
18 to 24 in. B&B.....	3.00	2.75	2.50
24 to 30 in. B&B.....	3.50	3.25	3.00
— horizontalis douglasi . 1 ft. (Creeping Savin) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun or part shade.			
12 to 15 in. B&B.....	2.00	1.75	1.50
15 to 18 in. B&B.....	2.50	2.25	2.00
18 to 24 in. B&B.....	3.00	2.75	2.50
24 to 30 in. B&B.....	3.50	3.25	3.00
— horizontalis glauca . 1 ft. (Blue Creeping Juniper) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun or part shade.			
12 to 15 in. B&B.....	2.00	1.75	1.50
15 to 18 in. B&B.....	2.50	2.25	2.00
18 to 24 in. B&B.....	3.00	2.75	2.50
24 to 30 in. B&B.....	3.50	3.25	3.00
— sabina . 5 ft. (Savin Juniper) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun.			
12 to 15 in. B&B.....	2.00	1.75	1.50
15 to 18 in. B&B.....	2.25	2.00	1.75
18 to 24 in. B&B.....	2.50	2.25	2.00
24 to 30 in. B&B.....	3.00	2.75	2.50
— sabina tamariscifolia . 1½ ft. (Tamarix Savin) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun.			
12 to 15 in. B&B.....	2.25	2.00	1.75
15 to 18 in. B&B.....	3.00	2.75	2.50
18 to 24 in. B&B.....	3.50	3.25	3.00
— sabina von ehron . 10 ft. Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun.			
12 to 15 in. B&B.....	2.00	1.75	1.50
15 to 18 in. B&B.....	2.25	2.00	1.75
18 to 24 in. B&B.....	2.50	2.25	2.00
24 to 30 in. B&B.....	3.00	2.75	2.50
— scopularum Chandlers Blue . 25 ft. Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.			
2 to 2½ ft. B&B.....	3.00	2.75	2.50
2½ to 3 ft. B&B.....	3.50	3.25	3.00
3 to 4 ft. B&B.....	4.50	4.25	4.00
— scopularum hill's silver . 20 ft. Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.			
2 to 2½ ft. B&B.....	3.00	2.75	2.50
2½ to 3 ft. B&B.....	3.50	3.25	3.00
3 to 4 ft. B&B.....	4.50	4.25	4.00
— squamata meyeri . 4 ft. (Meyer's Juniper) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.			
12 to 15 in. B&B.....	2.00	1.75	1.50
15 to 18 in. B&B.....	2.50	2.25	2.00
18 to 24 in. B&B.....	3.00	2.75	2.50

JUNIPERUS — Continued

1-4
Each 5-24
Each 25-up
Each

—**virginiana**. 25 ft. (Red Cedar) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

4	to	5	ft. B&B.....	5.00	4.75	4.50
5	to	6	ft. B&B.....	7.00	6.50	
6	to	7	ft. B&B.....	9.00	8.00	
7	to	8	ft. B&B.....	11.00	10.00	
8	to	10	ft. B&B.....	15.00	14.00	12.00

—**vir. burki, syn. virg-venusta**. 15 ft. Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2½	to	3	ft. B&B.....	3.50	3.25	3.00
3	to	4	ft. B&B.....	4.50	4.25	4.00
4	to	5	ft. B&B.....	6.00	5.50	5.00

—**virg. canaerti**. 18 ft. (Cannert Red Cedar) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2	to	2½	ft. B&B.....	3.00	2.75	2.50
2½	to	3	ft. B&B.....	3.50	3.25	3.00
3	to	4	ft. B&B.....	4.50	4.25	4.00
4	to	5	ft. B&B.....	6.00	5.50	5.00
5	to	6	ft. B&B.....	6.50	6.00	
6	to	7	ft. B&B.....	10.00	9.00	

—**virg. elegantissima lee**. 5 ft. (Goldtip Juniper) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2	to	2½	ft. B&B.....	3.50	3.25	3.00
2½	to	3	ft. B&B.....	4.00	3.75	3.50
3	to	4	ft. B&B.....	5.00	4.75	4.50

—**virg. glauca**. 20 ft. (Blue Cedar) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2	to	2½	ft. B&B.....	3.00	2.75	2.50
2½	to	3	ft. B&B.....	3.50	3.25	3.00
3	to	4	ft. B&B.....	4.50	4.25	4.00
4	to	5	ft. B&B.....	6.00	5.50	5.00
6	to	7	ft. B&B.....	10.00	9.00	

—**virg. keteleeri**. 15 ft. Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2	to	2½	ft. B&B.....	3.00	2.75	2.50
2½	to	3	ft. B&B.....	3.50	3.25	3.00
3	to	4	ft. B&B.....	4.50	4.25	4.00
4	to	5	ft. B&B.....	6.00	5.50	5.00
5	to	6	ft. B&B.....	6.50	6.00	
6	to	7	ft. B&B.....	10.00	9.00	

—**pyramidaformia**. 20 ft. (Hill's Pyramid Juniper) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2	to	2½	ft. B&B.....	3.00	2.75	2.50
2½	to	3	ft. B&B.....	3.50	3.25	3.00
3	to	4	ft. B&B.....	4.50	4.25	4.00
4	to	5	ft. B&B.....	6.00	5.50	5.00
5	to	6	ft. B&B.....	6.50	6.00	
6	to	7	ft. B&B.....	10.00	9.00	

KALMIA

	1-4 Each	5-24 Each	25-up Each
— <i>latifolia</i> . 6 ft. (Mountain Laurel)	Woodsy or peaty loam, moist, well drained, PH 4.5-6.0, sun-shade, shade in hot climate.		
15 to 18 in. B&B.....	3.00	2.75	2.50
18 to 24 in. B&B.....	3.50	3.25	3.00
24 to 30 in. B&B.....	4.50	4.25	4.00
30 to 36 in. B&B.....	5.50	5.25	5.00

KERRIA

— <i>japonica pleniflora</i> 4 ft. (double japanese kerria)	Rich medium loam, moist, PH 5.5-6.5. sun.		
15 to 18 in.....	.70	.60	
18 to 24 in.....	.80	.75	

KOELREUTERA

— <i>paniculata</i> . 25 ft. (Goldenrain Tree)	Rich. medium loam, moist, PH 6.0-7.5, sun.		
3 to 4 ft.....	3.00	2.75	2.50
4 to 5 ft.....	4.00	3.50	3.00
5 to 6 ft.....	5.00	4.50	4.00
6 to 8 ft.....	7.00	6.50	

KOLKWTZIA

— <i>amabilis</i> . 6 ft. (Beautybush)	Sandy to silty clay, moist, PH 6.0-7.5, sun or slight shade.		
18 to 24 in.....	.50	.45	.40
2 to 3 ft.....	.60	.55	.50
3 to 4 ft.....	.85	.75	.65

LARIX

— <i>deciduous</i> . 60 ft. (European larch)	medium loam, well drained, PH 5.0-6.5.		
3 to 4 ft. B&B.....	4.50	4.00	
4 to 5 ft. B&B.....	6.00	5.50	
5 to 6 ft. B&B.....	9.00	8.00	
6 to 8 ft. B&B.....	12.00	10.00	
8 to 10 ft. B&B.....	15.00	14.00	12.00

LESPEDEZA

— <i>thunbergi (penduliflorum)</i> (Bushclover)	Medium loam, dry-moist, PH 6.5-7.5, sun.		
2 year70	.65	.60
3 year90	.80	.75

LEUCOTHOE

— <i>catesbaei</i> . 6 ft. (Drooping Leucothoe)	Woodsy or peaty loam, moist, well drained, PH 4.5-6.0, shady location.		
12 to 15 in. B&B.....	3.00	2.75	2.50
15 to 18 in. B&B.....	3.50	3.25	3.00
18 to 24 in. B&B.....	4.50	4.00	

LIGUSTRUM

— <i>amurense</i> . 12 ft. (Amur Privet)	Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.		
12 to 18 in.....	.10	.09	.08
18 to 24 in., 3 canes and up..	.16	.14	.12
2 to 3 ft.....	.22	.20	.18
3 to 4 ft.....	.35	.30	.25

LIGUSTRUM — Continued

	1-24 Each	25-249 Each	250-up Each
— ibolium . 10 ft. (Hardy California Privet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.			
12 to 18 in.....	.15	.13	.12
18 to 24 in.....	.18	.16	.14
2 to 3 ft.....	.25	.22	.20
3 to 4 ft.....	.35	.30	.25
— obtusifolium (ibota) . 8 ft. (Chinese Privet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.			
18 to 24 in.....	.35	.30	.25
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.50	.45	.40
— ibota regelianum . 6 ft. (Regal Privet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.			
12 to 18 in.....	.25	.22	.20
18 to 24 in.....	.40	.35	.30
24 to 30 in.....	.45	.40	.35
30 to 36 in.....	.60	.55	.50
3 to 4 ft.....	.85	.75	
— ovalifolium . 10 ft. (California Privet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.			
12 to 18 in., 2 canes and up....	.10	.08	.06
18 to 24 in., 3 canes and up....	.12	.10	.08
2 to 3 ft., 4 canes and up....	.18	.16	.14
3 to 4 ft.....	.25	.22	.20
— vulgare . 10 ft. (English Privet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.			
12 to 18 in.....	.20	.17½	.15
18 to 24 in.....	.25	.22½	.20
2 to 3 ft.....	.35	.30	.25
3 to 4 ft.....	.45	.40	.35

LILAC (see *Syringa*)

LINDEN (see *Tilia*)

LINDERA

	1-4 Each	5-24 Each	25-up Each
— benzoin . 12 ft. (Spicebush) Sandy to clay loam, moist, PH 4.5-6.0, sun or part shade, stands wet soil.			
18 to 24 in.....	.50	.45	.40
2 to 3 ft.....	.70	.65	.60
3 to 4 ft.....	.90	.80	.70
4 to 5 ft.....	1.00	.90	.80

LIRIODENDRON

— tulipifera . 60 ft. (Tulip Tree) Rich, medium loam, moist, well drained, PH 6.0-7.0, sun or part shade.			
6 to 8 ft.....	4.00	3.50	3.00
8 to 10 ft.....	4.50	4.00	3.50
1¼ to 1½ in.....	5.00	4.25	4.50
1½ to 1¾ in.....	7.00	6.50	6.00
1¾ to 2 in.....	8.50	8.00	7.50
2 to 2½ in.....	11.00	12.00	10.00
2½ to 3 in.....	16.00	14.00	
3 to 3½ in.....	22.50	20.00	
3½ to 4 in.....	25.00	22.50	

LIQUIDAMBER

—**styraciflua**. 50 ft. (Sweet Gum) Rich, medium loam moist, PH 5.5-7.0, sun.

			1-4 Each	5-24 Each	25-up Each
5	to	6 ft.	3.50	3.25	3.00
6	to	8 ft.	5.00	4.50	4.00
8	to	10 ft.	6.00	5.50	5.00
1¼	to	1½ in.	7.00	6.50	6.00
1½	to	1¾ in.	9.00	8.50	8.00
1¾	to	2 in.	11.00	10.00	
2	to	2½ in.	17.50	15.00	
3	to	3½ in.	30.00	25.00	

LONICERA

—**bella albida**. 8 ft. (White Bell Honeysuckle) Sandy loam to silty clay, moist, PH 6.5-8.0, sun-shade.

2	to	3 ft.	.60	.55	.45
3	to	4 ft.	.70	.60	.50
4	to	5 ft.	.90	.80	.70
5	to	6 ft.	1.25	1.15	1.00

—**bella rosea**. 8 ft. (Pink Bell Honeysuckle) Sandy loam to silty clay, moist, PH 5.5-8.0, sun-shade.

2	to	3 ft.	.60	.55	.45
3	to	4 ft.	.70	.60	.50
4	to	5 ft.	.90	.80	.70

—**fragrantissima**. 8 ft. (Winter Honeysuckle) Medium loam to silty clay, moist well drained, PH 6.0-7.5, sun-med. shade.

18	to	24 in.	.45	.40	.35
2	to	3 ft.	.60	.55	.50
3	to	4 ft.	.70	.65	.60

—**gold flame**. 15 ft. Sandy loam to silty clay, dry-moist, PH 6.0-8.0, sun or part shade.

2 years No. 1		.45	.40		
---------------	--	-----	-----	--	--

—**halliana**. 15 ft. (Hall's Japan Honeysuckle) Sandy loam to silty clay, dry-moist, PH 6.0-8.0, sun or part shade.

2 year No. 1	\$175.00 per M.	.25	.22	.20	
--------------	-----------------	-----	-----	-----	--

—**korolkowi floribunda**. 10 ft. (Blueleaf Honeysuckle) Sandy loam to silty clay, moist, PH 6.0-7.5, sun.

18	to	24 in.	.60	.55	.50
2	to	3 ft.	.70	.65	.60
3	to	4 ft.	.85	.80	.75

—**korolkowi zabeli** 10' Sandy loam to silty clay, moist, PH 6.0-7.5 sun, part shade.

2	to	3 ft.	.70	.60	
3	to	4 ft.	.90	.75	

—**maacki**. 10 ft. (Amur Honeysuckle) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-part shade.

2	to	3 ft.	.60	.55	.45
3	to	4 ft.	.70	.60	.50
4	to	5 ft.	.90	.80	.70

LONICERA — Continued

1-4 Each	5-24 Each	25-up Each
-------------	--------------	---------------

—**morrowi**. 8 ft. (Morrow Honeysuckle) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

2 to 3 ft.	.60	.55	.45
3 to 4 ft.	.70	.60	.50
4 to 5 ft.	.90	.80	.70

—**morrowi yellow fruited**. 8 ft. Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

2 to 3 ft.	.60	.55	.45
3 to 4 ft.	.70	.60	.50
4 to 5 ft.	.90	.80	.70

—**ruprechtiana**. 10 ft. (Manchurian Honeysuckle) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-slight shade.

2 to 3 ft.	.60	.55	.45
3 to 4 ft.	.70	.60	.50
4 to 5 ft.	.90	.80	.70

—**sempervirens**. 15 ft. (Scarlet Trumpet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun.

2 year No. 1	.40	.35	.30
3 year No. 1	.50	.45	.40

—**standishi**. 5 ft. Medium loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

18 to 24 in.	.50	.45	.40
2 to 3 ft.	.60	.55	.50
3 to 4 ft.	.75	.65	.60

—**syringantha**. 4 ft. (Lilac Honeysuckle) Medium loam to silty clay, moist, PH 6.0-7.5, sun.

18 to 24 in.	.50	.45	.40
2 to 3 ft.	.60	.55	.50
3 to 4 ft.	.80	.70	

—**tatarica abla**. 10 ft. (White Tatarian Honeysuckle) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

2 to 3 ft.	.60	.55	.45
3 to 4 ft.	.70	.60	.50
4 to 5 ft.	.90	.80	.70
5 to 6 ft.	1.25	1.15	1.00

—**tatarica rosea grandiflora**. 10 ft. Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

2 to 3 ft.	.60	.55	.45
3 to 4 ft.	.70	.60	.50
4 to 5 ft.	.90	.80	.70
5 to 6 ft.	1.25	1.15	1.00

—**tatarica sibirica**. 10 ft. (Red Tatarian Honeysuckle) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

2 to 3 ft.	.60	.55	.45
3 to 4 ft.	.70	.60	.50
4 to 5 ft.	.90	.80	.70

LYCIUM

	1-4 Each	5-24 Each	25-up Each
--	-------------	--------------	---------------

—**Chinese.** 10 ft. (Chinese Matrimony Vine) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

2 to 3 ft.	.50	.45	.35
3 to 4 ft.	.60	.55	.45

MAGNOLIA

—**acuminata.** 70 ft. (Cucumber Tree) Rich, medium loam, moist, well drained, PH 5.0-7.5, sun.

3 to 4 ft. B&B.	3.50	3.00	
4 to 5 ft. B&B.	4.50	4.00	
5 to 6 ft. B&B.	10.00	8.00	
6 to 8 ft. B&B.	14.00	12.00	
8 to 10 ft. B&B.	15.00	14.00	
10 to 12 ft. B&B.	20.00	18.00	
4 to 6 in.	Price on request		

—**soulangeana.** 18 ft. (Saucer Magnolia) Rich, medium loam, moist, well drained, PH 5.5-7.0, sun-partial shade.

18 to 24 in. B&B.	3.00	2.75	2.50
2 to 3 ft. B&B.	3.50	3.00	
3 to 4 ft. B&B.	4.50	4.00	
4 to 5 ft. B&B.	8.00	7.50	
5 to 6 ft. B&B.	10.00	9.00	

—**stellata.** 8 ft. (Star Magnolia) Rich, medium loam, moist, well drained, PH 5.5-7.0, sun-partial shade.

2 to 3 ft. B&B.	5.50	5.00	
-----------------	------	------	--

—**virginiana (glauca).** 20 ft. (Sweet Bay) Rich, medium loam, moist, PH 5.0-6.5, sun-partial shade.

18 to 24 in. B&B.	2.50	2.25	2.00
2 to 3 ft. B&B.	3.50	3.25	3.00
3 to 4 ft. B&B.	4.50	4.25	4.00
4 to 5 ft. B&B.	6.00	5.50	5.00
5 to 6 ft. B&B.	9.00	8.00	

MAHONIA

—**acquistifolium.** 5 ft. (Oregon Hollygrape). Sandy to medium loam, dry-moist, PH 6.0-7.5, partial shade.

12 to 15 in. B&B.	2.00	1.75	1.50
15 to 18 in. B&B.	2.50	2.25	2.00
18 to 24 in. B&B.	3.00	2.75	2.50
24 to 30 in. B&B.	4.00	3.50	3.00
30 to 36 in. B&B.	5.00	4.50	3.50

MALUS

—**almey.** 18 ft. (new almey crab) fiery crimson blossom, fruit bright red, sandy loam to silty clay, PH 6.0-7.5.

2 to 3 ft.	1.25	1.15	1.00
3 to 4 ft.	1.50	1.35	1.25
4 to 5 ft.	2.25	2.00	1.75

MALUS — Continued

		1-4 Each	5-24 Each	25-up Each
—arnoldiana. 10 ft. (Arnold Crab) Semi-double pink flowers, small yellow fruit. Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.				
2 to 3 ft.90	.80	.75
3 to 4 ft.	1.25	1.15	1.00
4 to 5 ft.	2.00	1.75	1.50
5 to 6 ft.	2.25	2.00	1.75
6 to 8 ft.	3.50	3.25	3.00
—coronaria. 15 ft. (Wild Sweet Crab) Clustered rose-pink flowers, yellowish fruits. Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.				
4 to 5 ft.	1.25	1.15	1.00
5 to 6 ft.	2.00	1.75	1.50
6 to 8 ft.	3.00	2.75	2.50
8 to 10 ft.	5.00	4.50	
—dolga 15 ft. White, red fruit. Sandy loam to silty clay. PH 6.0-7.5 sun, part shade.				
2 to 3 ft.90	.80	.75
3 to 4 ft.	1.25	1.15	1.00
4 to 5 ft.	2.00	1.75	1.50
5 to 6 ft.	2.25	2.00	1.75
6 to 8 ft.	3.50	3.00	
—dorothea. 15 ft. bright rose, semi-double, fruit bright yellow late fall; sandy loam to silty clay, moist, PH 6.0-7.5.				
2 to 3 ft.	1.25	1.15	1.00
3 to 4 ft.	1.50	1.35	1.25
4 to 5 ft.	2.25	2.00	
—floribunda. 18 ft. (Japanese Flowering Crab) Rose-red flowers, small red fruit. Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.				
2 to 3 ft.90	.80	.75
3 to 4 ft.	1.25	1.15	1.00
4 to 5 ft.	2.00	1.75	1.50
5 to 6 ft.	2.25	2.00	1.75
6 to 8 ft.	4.00	3.75	3.50
—floribunda atrosanguinea. 20 ft. (Carmine Crab) Late flowering, buds and flowers deep red, small, yellow fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.				
2 to 3 ft.90	.80	.75
3 to 4 ft.	1.25	1.15	1.00
4 to 5 ft.	2.00	1.75	1.50
5 to 6 ft.	2.25	2.00	1.75
6 to 8 ft.	4.00	3.75	3.50
—hopa. 12 ft. (Red Flowering Crab) Rosy-crimson flowers, round, red fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.				
2 to 3 ft.90	.80	.75
3 to 4 ft.	1.25	1.15	1.00
4 to 5 ft.	2.00	1.75	1.50
5 to 6 ft.	2.25	2.00	1.75
6 to 8 ft.	3.50	3.25	3.00
8 to 10 ft.	5.50	5.00	

		1-4 Each	5-24 Each	25-up Each
MALUS — Continued				
— halliana parkmannii. (Parkman's Crab). Semi-double rose-pink flowers, sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.				
2 to 3 ft.90	.80	.75
3 to 4 ft.	1.25	1.15	1.00
4 to 5 ft.	2.00	1.75	1.50
5 to 6 ft.	2.25	2.00	1.75
— ioensis. 20 ft. (Prairie Crab) Single pink flowers, greenish-fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.				
6 to 8 ft.	3.50	3.25	
8 to 10 ft.	5.00	4.50	
— ioensis plena. 12 ft. (Bechtel's Crab) Double pink flowers, very showy, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.				
2 to 3 ft.	1.25	1.00	.85
3 to 4 ft.	1.50	1.35	1.25
4 to 5 ft.	2.25	2.00	1.75
5 to 6 ft.	3.00	2.50	
6 to 8 ft.	5.00	4.50	
— micromalus 10 ft. (Midgetcrab) single pink. Sandy loam to silty clay, moist, PH 6.0-7.5. Sun, part shade.				
2 to 3 ft.	1.25	1.15	1.00
3 to 4 ft.	1.50	1.35	1.25
4 to 5 ft.	2.25	2.00	1.75
5 to 6 ft.	3.00	2.50	
— niedzwetzkyana. 12 ft. (Redvein Crab) Purplish leaves, deep pink flowers, purple fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.				
2 to 3 ft.90	.80	.75
3 to 4 ft.	1.25	1.15	1.00
4 to 5 ft.	2.00	1.75	1.50
5 to 6 ft.	2.25	2.00	1.75
6 to 8 ft.	3.50	3.25	3.00
— princes georges. 25 ft. blossom large, light pink, late bloomer, sandy loam to silty clay, moist, PH 6.0-7.5.				
2 to 3 ft.	1.25	1.15	1.00
3 to 4 ft.	1.50	1.35	1.25
4 to 5 ft.	2.25	2.00	
— purpurea. 20 ft. (Purple Crab). Purple leaves, red flowers, dark red fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.				
2 to 3 ft.90	.80	.75
3 to 4 ft.	1.25	1.15	1.00
4 to 5 ft.	2.00	1.75	1.50
5 to 6 ft.	2.25	2.00	1.75
6 to 8 ft.	3.50	3.25	3.00

MALUS — Continued

1-4 Each	5-24 Each	25-up Each
-------------	--------------	---------------

—**purpurea eleyi**. 20 ft. (Eley Crab). Deep red flowers, large, edible red fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

2 to 3 ft.	.90	.80	.75
3 to 4 ft.	1.25	1.15	1.00
4 to 5 ft.	2.00	1.75	1.50
5 to 6 ft.	2.25	2.00	1.75
6 to 8 ft.	3.50	3.25	3.00

—**prunifolia rinki** 15 ft. (Chinese pearleaf crab) single pink and white flowers. Sandy loam to silty clay, moist, PH 6.0-7.5.

3 to 4 ft.	1.25	1.15	1.00
4 to 5 ft.	2.00	1.75	1.50
5 to 6 ft.	2.25	2.00	1.75
6 to 8 ft.	3.50	3.25	3.00

—**robusta** 15 ft. (Cherry crab) single pinkish white flowers. Sandy loam to silty clay, moist, PH 6.0-7.5 sun or part shade.

2 to 3 ft.	1.25	1.00
3 to 4 ft.	1.50	1.25
4 to 5 ft.	1.75	1.50

—**sargentii**. 8 ft. (Sargent Crab) Sharptoothed leaves, white flowers, dark red fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

2 to 3 ft.	1.75	1.50	1.25
3 to 4 ft.	2.50	2.25	2.00
4 to 5 ft.	3.50	3.25	3.00
5 to 6 ft.	4.50	4.00	

—**scheideckeri**. 20 ft. (Scheidecker Crab). Double pink flowers, orange fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade

2 to 3 ft.	.90	.80	.75
3 to 4 ft.	1.25	1.15	1.00
4 to 5 ft.	2.00	1.75	1.50
5 to 6 ft.	2.25	2.00	1.75
6 to 8 ft.	3.50	3.25	3.00

—**seiboldi**. 15 ft. (Toringo Crab) Blush pink flowers, yellowish red fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

3 to 4 ft.	1.25	1.15	1.00
4 to 5 ft.	2.00	1.75	1.50
5 to 6 ft.	2.25	2.00	1.75
6 to 8 ft.	3.50	3.25	3.00

—**spectabilis**. 15 ft. (Chinese Crab). Coral-rose flowers, small, yellow fruit, medium loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

2 to 3 ft.	.90	.80	.75
3 to 4 ft.	1.25	1.15	1.00
4 to 5 ft.	2.00	1.75	1.50
5 to 6 ft.	2.25	2.00	1.75
6 to 8 ft.	3.50	3.25	3.00

MALUS — Continued

		1-4 Each	5-24 Each	25-up Each
— theifera . 18 ft. (Tea Crab). Flowers white, tinted pale pink. One of the best of the flowering crabs in cultivation, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.				
2 to 3 ft.90	.80	.75
3 to 4 ft.	1.25	1.15	1.00
4 to 5 ft.	2.00	1.75	1.50
5 to 6 ft.	2.25	2.00	1.75
6 to 8 ft.	3.50	3.25	3.00

—**Zumi**. 15 ft. (Zumi crabapple)

Sandy loam to silty clay, moist, PH 6.0-7.5 sun or part shade.

2 to 3 ft.90	.80	.75
3 to 4 ft.	1.25	1.15	1.00
4 to 5 ft.	2.00	1.75	1.50
5 to 6 ft.	2.25	2.00	
6 to 8 ft.	3.50	3.00	

MYRICA

—**carolinensis**. 5 ft. (Northern Bayberry) sandy to medium loam, well drained, dry-moist, PH 5.0-6.5, sun-part shade.

12 to 15 in. B&B	1.50	1.35	1.25
15 to 18 in. B&B	2.00	1.75	1.50
18 to 24 in. B&B	2.50	2.25	2.00
24 to 30 in. B&B	3.00	2.75	2.50
30 to 36 in. B&B	4.00	3.25	3.50
3 to 4 ft. B&B	4.50	4.25	4.00

—**cerifera**. 5 ft. (Southern Waxmyrtle) sandy to medium loam, well drained, dry-moist, PH 5.5-7.0, sun-part shade.

12 to 15 in. B&B	1.50	1.35	1.25
15 to 18 in. B&B	2.00	1.75	1.50
18 to 24 in. B&B	2.50	2.25	2.00
24 to 30 in. B&B	3.00	2.75	2.50
30 to 36 in. B&B	4.00	3.25	3.50
3 to 4 ft. B&B	4.50	4.25	4.00

NYSSA

—**sylvatica**. 40 ft. (Tupelo), rich, medium loam, moist, PH 5.5-6.5, sun-partial shade.

2 to 3 ft. B&B	3.50	3.25	3.00
3 to 4 ft. B&B	4.50	4.25	4.00
4 to 5 ft. B&B	8.00	7.50	7.00
5 to 6 ft. B&B	10.00	9.00	8.00
6 to 8 ft. B&B	11.00	10.00	
1¼ to 1½ in. B&B	14.00	12.00	
1½ to 1¾ in. B&B	15.00	14.00	

OSTRYA

—**virginica**. 40 ft. (American hophornbean), medium moist loam, PH 6.0-7.5 shade or sun.

5 to 6 ft.	3.50	3.00	
6 to 8 ft.	4.50	4.00	
8 to 10 ft.	6.00	5.00	

OXYDENDRON

	1-4 Each	5-24 Each	25-up Each
— arboreum . 30 ft. (Sourwood), high organic content loam, moist, well drained, PH 5.5-6.5, sun-partial shade.			
2 to 3 ft. B&B.....	3.00	2.50	
3 to 4 ft. B&B.....	4.00	3.50	
4 to 5 ft. B&B.....	6.00	5.50	

PACHYSANDRA

— terminalis . 1 ft. (Japanese Spurge), medium to silty clay, moist, PH 5.0-7.0, partial shade to shade.			
1 year	\$100.00 per M .15	.14	.12
2 year from pots, Per M \$120	.18	.16	.14

PARTHENOCISSUS (Ampelopsis)

— quinquifolia . 40 ft. (Virginia Creeper) Medium loam, moist, PH 6.0-7.5, sun or part shade.			
2 year35	.30	.25
3 year40	.35	.30
— tricuspidata veitchi . 50 ft. (Boston Ivy) Medium loam, moist, PH 6.0-7.5, sun or part shade.			
2 year medium45	.40	.35
2 year No. 1.....	.60	.55	.50

PHILADELPHUS

— albatre . 6 ft. Sandy loam to silty clay, moist, PH 6.0-7.5, sun or light shade.			
2 to 3 ft.....	.55	.50	.45
3 to 4 ft.....	.60	.55	.50
— avalanche . 6 ft., sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade.			
2 to 3 ft.....	.55	.50	.45
3 to 4 ft.....	.60	.55	.50
— banniere . 8 ft., sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade.			
2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
4 to 5 ft.....	.90	.80	.70
— coronarius . 9 ft. (Sweet Scented Mockorange) sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade.			
2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
4 to 5 ft.....	.90	.80	.70
5 to 6 ft.....	1.25	1.15	1.00
— coronarius aureus . 5 ft. (Golden Mockorange), sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade.			
9 to 12 in.....	.60	.55	.50
12 to 15 in.....	.90	.80	.70
15 to 18 in.....	1.00	.90	.80
— glacier . 6 ft. Sandy loam to silty clay, moist, PH 6.0-8.0, sun.			
2 to 3 ft.....	.55	.50	.45
3 to 4 ft.....	.60	.55	.50

PHILADELPHUS — Continued

	1-4 Each	5-24 Each	25-up Each
— gordonianus . 10 ft. (Gordon Mockorange), sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade.			
2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
4 to 5 ft.....	.90	.80	.70
5 to 6 ft.....	1.25	1.15	1.00
— grandiflorus . 12 ft. (Big Scented Mockorange) Sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade.			
2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
4 to 5 ft.....	.90	.80	.70
5 to 6 ft.....	1.25	1.15	1.00
— lemoinei erectus . 5 ft. (Lemoine Mockorange) Sandy loam to silty clay, moist, PH 6.0-8.0, sun-partial shade.			
18 to 24 in.....	.40	.35	.30
2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
4 to 5 ft.....	1.25	1.15	1.00
— mt. blanc . 10 ft. Sandy loam to silty clay, moist, PH 6.0-8.0, sun.			
2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
— nivalis . 7 ft. (Snowbank Mockorange) Sandy loam to silty clay, moist, PH 6.0-8.0, sun-partial shade.			
2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
4 to 5 ft.....	.90	.80	.70
— norma . 8 ft. Sandy loam to silty clay, moist, PH 6.0-8.0, sun, part shade.			
2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
— pyramidale . 6 ft. Sandy loam to silty clay, moist, PH 6.0-8.0, sun.			
2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
4 to 5 ft.....	.90	.80	.70
— virginal . 8 ft. (Double White) Sandy loam to silty clay, moist, PH 6.0-7.0, sun.			
18 to 24 in.....	.45	.40	.35
2 to 3 ft.....	.55	.50	.45
3 to 4 ft.....	.75	.65	.60

PHILLODENDRON

— amurense . 50 ft. (Amour cork tree) Sandy loam to clay, dry-moist, PH 6.0-7.5, sun.			
8 to 10 ft.....	4.00	3.50	
1¼ to 1½ in.....	4.50	4.00	
1½ to 1¾ in.....	5.00	4.50	
1¾ to 2 in.....	6.00	5.50	
2 to 2½ in.....	10.00	8.00	
2½ to 3 in.....	16.00	14.00	
3 to 3½ in.....	20.00	18.00	

PHOTINIA

	Each 1-4	Each 5-24	Each 25-up
— <i>laevis</i> . 15 ft. Rich, medium loam, moist, PH 6.0-7.5, sun-partial shade.			
3 to 4 ft.....	.80	.75	.65
4 to 5 ft.....	1.00	.90	.80
5 to 6 ft.....	1.25	1.00	

—*villosa*. 12 ft. (Christmasberry) Rich, medium loam, moist, PH 6.0-7.5, sun-partial shade.

18 to 24 in.40	.35	.30
2 to 3 ft.....	.60	.55	.50
3 to 4 ft.....	.80	.75	.65
4 to 5 ft.....	1.00	.90	.80
5 to 6 ft.....	1.25	1.00	
6 to 8 ft.....	2.00	1.50	
8 to 10 ft.....	3.00	2.50	

PHYSOCARPUS

—*monogynus*. 5 ft. (Dwarf Ninebark) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-medium shade.

2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
4 to 5 ft.....	.90	.80	.70

—*opulifolia*. 10 ft. (Ninebark) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-med. shade.

2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
4 to 5 ft.....	.90	.80	.70

—*opulifolius lutens*. 10 ft. (Goldleaf Ninebark) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-medium shade.

2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
4 to 5 ft.....	.90	.80	.70

—*opulifolius nanus*. 5 ft. Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-medium shade.

2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
4 to 5 ft.....	.90	.80	.70

PICEA

—*canadensis*. 50 ft. (White Spruce) Medium loam, moist, PH 5.0-6.5, sun-slight shade.

18 to 24 in. B&B.....	3.00	2.75	2.50
2 to 3 ft. B&B.....	4.50	4.25	4.00
3 to 4 ft. B&B.....	5.50	5.25	5.00
4 to 5 ft. B&B.....	6.50	6.00	

—*canadensis albertiana*. 60 ft. (Black Hills Spruce) Medium loam, PH 5.0-6.5, sun-slight shade.

18 to 24 in. B&B.....	3.00	2.75	
2 to 3 ft. B&B.....	4.50	4.25	
3 to 4 ft. B&B.....	5.50	5.25	

—*excelsa abies*. 75 ft. (Norway Spruce) Medium loam, moist, PH 5.0-6.5, sun-slight shade.

18 to 24 in. B&B.....	2.50	2.25	2.00
2 to 3 ft. B&B.....	3.00	2.75	2.50
3 to 4 ft. B&B.....	4.00	3.50	3.00
4 to 5 ft. B&B.....	6.50	6.00	5.50

PICEA — Continued

	1-4 Each	5-24 Each	25-up Each
--	-------------	--------------	---------------

—**pungens**. 60 ft. (Colorado Spruce) Medium loam, moist, PH 5.0-6.5, sun-slight shade.

18 to 24 in. B&B.....	3.00	2.75	2.50
2 to 3 ft. B&B.....	5.00	4.50	4.00

—**pungens glauca**. 60 ft. (Colorado Blue Spruce) Medium loam, moist, PH 5.0-6.5, sun.

18 to 24 in. B&B.....	5.00	4.50	4.00
2 to 3 ft. B&B.....	5.50	5.00	

—**pungens moerheimi**. 40 ft. (Moerheimi Blue Spruce) medium loam, moist, PH 5.0-6.5, sun.

15 to 18 in. B&B.....	7.00	6.50	6.00
18 to 24 in. B&B.....	8.00	7.50	7.00
24 to 30 in. B&B.....	10.00	9.00	
16 to 18 ft. B&B 52" Ball...	150.00	125.00	
18 to 20 ft. B&B 60" Ball...	200.00	175.00	

PIERIS

—**japonica**. 4 ft. (Japanese Andromeda) Woodsy or peaty loam, moist, well drained, PH 5.0-6.0, partial shade.

12 to 15 in. B&B.....	3.00	2.75	2.50
15 to 18 in. B&B.....	3.75	3.50	3.25
18 to 24 in. B&B.....	5.00	4.50	4.00
24 to 30 in. B&B.....	6.00	5.00	

PINUS

—**montana mughus**. 4 ft. (Mugho pine) Sandy loam to silty clay, dry-moist, PH 5.5-7.0.

12 to 15 in. B&B.....	3.00	2.75	2.50
15 to 18 in. B&B.....	3.50	3.00	
18 to 24 in. B&B.....	4.50	4.00	

—**nigra austriaca**. 60 ft. (Austrian Pine) Sandy loam to silty clay, dry-moist, PH 5.5-7.0, sun.

2 to 3 ft. B&B.....	5.00	4.50	4.00
3 to 4 ft. B&B.....	7.00	6.50	6.00
4 to 5 ft. B&B.....	14.00	13.00	12.00
5 to 6 ft. B&B.....	16.00	15.00	14.00
6 to 8 ft. B&B.....	25.00	20.00	

—**strobus**. 75 ft. (Eastern White Pine) sandy loam to silty clay, moist, PH 5.5-7.0.

3 to 4 ft. B&B.....	6.00	5.50	
4 to 5 ft. B&B.....	12.00	11.00	
5 to 6 ft. B&B.....	14.00	12.00	
6 to 8 ft. B&B.....	16.00	15.00	

—**syvestris**. 75 ft. (Scotch Pine) Sandy loam to silty clay, dry-moist, PH 5.5-7.0, sun-partial shade.

2 to 3 ft. B&B.....	4.00	3.75	3.50
3 to 4 ft. B&B.....	5.50	5.00	4.50
4 to 5 ft. B&B.....	6.50	6.00	
5 to 6 ft. B&B.....	10.00	8.00	

PLATANUS

—**occidentalis**. 75 ft. (American Sycamore) Medium loam to silty clay, moist, PH 6.0-7.5, sun.

			1-4 Each	5-24 Each	25-up Each
6	to	8 ft.	3.00	2.75	2.50
8	to	10 ft.	4.00	3.50	3.00
1¼	to	1½ in.	5.50	5.00	4.50
1½	to	1¾ in.	7.00	6.50	6.00
1¾	to	2 in.	9.00	8.50	8.00
2	to	2½ in.	12.00	11.00	10.00

—**acerifolium**. 70 ft. (European Sycamore) Medium loam to silty clay, moist, well drained, PH 6.0-7.5, sun.

6	to	8 ft.	3.00	2.75	2.50
8	to	10 ft.	4.00	3.50	3.00
1¼	to	1½ in.	5.50	5.00	4.50
1½	to	1¾ in.	7.00	6.50	6.00
1¾	to	2 in.	9.00	8.50	8.00
2	to	2½ in.	12.00	11.00	10.00
2½	to	3 in.	17.50	15.00	
3	to	3½ in.	20.00	17.50	
3½	to	4 in.	22.50	20.00	
4	to	5 in.	30.00	25.00	

POLYGONUM

—**auberti**. 25 ft. (Silver lace Vine) sandy loam to silty clay, moist, well drained, PH 6.0-7.5, sun-partial shade.

2 yr. No. 1	.45	.40	.35
2 yr. Medium	.35	.30	.25

POPULUS

—**populus alba** 60' (white poplar) sandy loam to silty clay, very-moist PH 6.0-7.5 sun.

6	to	8 ft.	3.00	2.50	
8	to	10 ft.	3.50	3.00	
1¼	to	1½ in.	4.50	4.00	
1½	to	1¾ in.	5.00	4.50	
1¾	to	2 in.	5.50	5.00	

—**alba bolleana**. 50 ft. (Silver Poplar) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun.

1¼	to	1½ in.	3.00	2.75	2.50
1½	to	1¾ in.	3.50	3.25	3.00
1¾	to	2 in.	4.50	4.25	4.00
2	to	2½ in.	9.00	8.00	7.00
2½	to	3 in.	12.00	11.00	10.00

—**nigra italica**. 75 ft. (Lombardy Poplar) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun.

6	to	8 ft.	.75	.65	.60
8	to	10 ft.	1.00	.90	.80
10	to	12 ft.	1.25	1.15	1.00
1½	to	1¾ in.	2.00	1.75	1.50
1¾	to	2 in.	2.75	2.50	2.25
2	to	2½ in.	4.00	3.75	3.50
2½	to	3 in.	7.00	6.50	6.00
3	to	3½ in.	10.00	9.00	8.00

POPULUS — Continued				1-4 Each	5-24 Each	25-up Each
—simoni. 30 ft. (Simon Poplar) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun.						
6	to	8	ft.	2.50	2.00	
8	to	10	ft.	3.00	2.50	
10	to	12	ft.	3.50	3.00	
1½	to	1¾	in.	4.00	3.50	

POTENTILLA

—fruticosa. 4 ft. Bush cinquefoil. Sandy to medium loam, moist, PH 6.0-7.5 sun.						
15	to	18	inch	.50	.45	
18	to	24	inch	.60	.55	
—veitchi. 4 ft. (White flowering) Sandy to medium loam, moist, PH 6.5-7.5 sun.						
15	to	18	inch	.50	.45	
18	to	24	inch	.60	.55	

PRUNUS

—americana. 20 ft. (American Plum) Medium loam to silty clay, moist, PH 6.0-7.5, sun.						
3	to	4	ft.	.65	.60	.55
4	to	5	ft.	.90	.80	.75
5	to	6	ft.	1.25	1.00	
6	to	8	ft.	1.75	1.50	
—besseyi. 7 ft. (Bessey Cherry) sandy to medium loam, dry-moist, PH 6.0-7.5, sun-part shade.						
2	to	3	ft.	.45	.40	
3	to	4	ft.	.60	.50	
4	to	5	ft.	.85	.75	
—cerasifera pissardi. 12 ft. (Purpleleaved Plum) sandy loam to silty clay, moist, PH 6.0-7.5, sun.						
2	to	3	ft.	1.00	.85	.75
3	to	4	ft.	1.25	1.15	1.00
4	to	5	ft.	1.50	1.35	1.25
5	to	6	ft.	2.25	2.00	1.75
6	to	8	ft.	3.00	2.75	2.50
—cistina. 10 ft. (Hansen's Purpleleaved Plum) sandy loam to silty clay, moist, PH 6.0-7.5, sun.						
2	to	3	ft.	1.00	.90	.80
3	to	4	ft.	1.25	1.15	1.00
4	to	5	ft.	1.50	1.35	1.25
5	to	6	ft.	2.50	2.25	2.00
—glandulosa sinensis. 5 ft. (Double Pink Flowering Almond) sandy loam to silty clay, moist, PH 6.0-7.5, sun.						
15	to	18	in.	.60	.55	.50
18	to	24	in.	.85	.70	.60
2	to	3	ft.	1.00	.85	.75
—glandulosa albiplena. 5 ft. (Double White Flowering Almond) Own root, sandy loam to silty clay, moist, PH 6.0-7.5, sun.						
18	to	24	in.	.85	.70	.60
2	to	3	ft.	1.00	.85	.75

PRUNUS — Continued

	1-4 Each	5-24 Each	25-up Each
— maritima . 12 ft. (Beech Plum) sandy to sandy loam, dry-moist, PH 6.0-7.5, sun.			
2 to 3 ft.....	.60	.55	.50
3 to 4 ft.....	.90	.80	.75
4 to 5 ft.....	1.25	1.15	1.00
— padus . 20 ft. (European Bird Cherry) sandy to silty loam, moist, PH 6.0-7.5, sun-slight shade.			
4 to 5 ft.....	1.25	1.00	
5 to 6 ft.....	1.75	1.50	
6 to 8 ft.....	2.50	2.00	
8 to 10 ft.....	3.00	2.50	
— pennsylvanicum . 25 ft. (Pin Cherry) Sandy to silty loam, moist, PH 5.5-7.0, sun-slight shade.			
3 to 4 ft.....	1.00	.75	
4 to 5 ft.....	1.50	1.25	
5 to 6 ft.....	2.00	1.75	
6 to 8 ft.....	3.00	2.50	
8 to 10 ft.....	3.50	3.00	
— pumila . 5 ft. (Sand Cherry) sandy to sandy loam, dry-moist, PH 6.0-7.5, sun-part shade.			
2 to 3 ft.....	.55	.50	.45
3 to 4 ft.....	.75	.60	
— serotina . 60 ft. (Black Cherry) sandy to silty loam, moist, PH 6.0-7.5, sun-partial shade.			
4 to 5 ft.....	1.50	1.25	
5 to 6 ft.....	2.00	1.75	
6 to 8 ft.....	3.00	2.50	
8 to 10 ft.....	3.50	3.00	
— tomentosa . 10 ft. (Nanking Cherry) sandy to silty loam, moist, PH 6.0-7.5, sun-partial shade.			
18 to 24 in.....	.50	.45	.40
2 to 3 ft.....	.85	.75	.65
— triloba plena . 10 ft. (Flowering Plum) Medium loam, moist, PH 6.0-7.5, sun.			
18 to 24 in.....	.60	.55	.50
2 to 3 ft.....	1.00	.90	.85
3 to 4 ft.....	1.25	1.15	1.00
— virginiana . 30 ft. (Common Chokeberry) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
3 to 4 ft.....	1.00	.75	
4 to 5 ft.....	1.50	1.25	
5 to 6 ft.....	2.00	1.75	
6 to 8 ft.....	3.00	2.50	

The following Japanese flowering cherries are available
in the following grades:

— amanogawa — semi-double pink, sandy loam to silty loam, moist, well drained, PH 6.0-7.5, sun.			
3 to 4 ft.....	3.00	2.50	
4 to 5 ft.....	3.50	3.00	
5 to 6 ft.....	5.00	4.50	
6 to 8 ft.....	5.50	5.00	

PRUNUS — Continued

	1-4 Each	5-24 Each	25-up Each
--	-------------	--------------	---------------

—**james veitch** — double blush pink, sandy loam to silty loam, moist, well drained, PH 6.0-7.5, sun.

3 to 4 ft.	3.00	2.75	2.50
4 to 5 ft.	3.50	3.25	3.00
5 to 6 ft.	5.00	4.75	4.50
6 to 8 ft.	5.50	5.00	

Larger caliper trees, price on request.

—**kwanzan**. 25 ft. double pink, sandy loam to silty clay, moist, well drained, PH 6.0-7.5 sun.

3 to 4 ft.	3.00	2.75	2.50
4 to 5 ft.	3.50	3.25	3.00
5 to 6 ft.	5.00	4.75	4.50

—**seiboldi** — double pink, sandy loam to silty clay, moist, well drained, PH 6.0-7.5, sun.

3 to 4 ft.	3.00	2.75	2.50
4 to 5 ft.	3.50	3.25	3.00
5 to 6 ft.	5.00	4.75	4.50
6 to 8 ft.	5.50	5.00	

PSEUDOTSUGA

—**taxifolia (Douglas)**. 75 ft. (Douglas Fir) light to medium loam, moist, well drained, PH 6.0-7.5, sun partial shade.

5 to 6 ft. B&B	12.00	10.00	
6 to 8 ft. B&B	16.00	15.00	

PYRACANTHA

—**coccinea lalandi**. 6 ft. (Firethorn) medium to heavy loam, moist, well drained, PH 6.0-7.5, sun-shade.

12 to 15 in. B&B	2.00	1.75	
15 to 18 in. B&B	2.50	2.25	
18 to 24 in. B&B	3.50	3.25	
24 to 30 in. B&B	4.50	4.25	
30 to 36 in. B&B	5.50	5.25	

QUERCUS

—**alba**. 65 ft. (White Oak) rich, medium loam, moist, well drained, PH 5.5-7.0, sun.

6 to 8 ft.	4.00	3.75	3.50
8 to 10 ft.	5.00	4.50	
3 to 3½ in.	25.00	22.50	

—**bicolor**. 60 ft. (Swamp White Oak) medium to silty loam, moist, PH 6.0-7.0, sun.

6 to 8 ft.	4.00	3.75	3.50
8 to 10 ft.	5.00	4.75	4.50
2½ to 3 in.	17.50	15.00	
3 to 3½ in.	30.00	25.00	

QUERCUS — Continued

1-4 Each 5-24 Each 25-up Each

—**borealis (rubra)** 70 ft. (Northern Red Oak) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

6	to	8	ft.	4.00	3.75	3.50
8	to	10	ft.	5.00	4.75	4.50
1¼	to	1½	in.	7.00	6.50	6.00
1½	to	1¾	in.	9.00	8.00	
1¾	to	2	in.	11.00	10.00	
2	to	2½	in.	16.00	15.00	
2½	to	3	in.	22.00	20.00	
3	to	3½	in.	30.00	25.00	
3½	to	4	in.	35.00	30.00	
4	to	5	in.	50.00	45.00	
6, 7 and 8 in., price on request						

—**coccinea.** 75 ft. (Scarlet Oak) porous gravely to medium loam, moist, well drained, PH 6.0-7.0, sun.

3	to	3½	in.	30.00	25.00	
3½	to	4	in.	35.00	30.00	
4	to	5	in.	50.00	45.00	
5 to 6 in. Price on request						

—**imbricaria.** 50 ft. (shingle oak), medium loam, moist, well drained, PH 5.5-6.5, sun.

6	to	8	ft.	5.00	4.00	
8	to	10	ft.	6.00	5.00	
1¼	to	1½	in.	8.00	7.00	

—**macrocarpa.** 75 ft. (Bur Oak) Medium loam, moist, well drained, PH 5.5-7.0, sun.

2½	to	3	in.	20.00	18.00	
3	to	3½	in.	30.00	25.00	
3½	to	4	in.	35.00	30.00	
4	to	5	in.	50.00	45.00	

—**palustris.** 70 ft. (Pin Oak) rich, medium loam, moist, well drained, PH 5.5-6.5, sun.

6	to	8	ft.	4.00	3.75	3.50
8	to	10	ft.	5.00	4.75	4.50
1¼	to	1½	in.	6.00	5.50	5.00
1½	to	1¾	in.	9.00	8.00	7.00
1¾	to	2	in.	12.00	11.00	10.00
2	to	2½	in.	15.00	14.50	14.00
2½	to	3	in.	20.00	18.00	16.00
3	to	3½	in.	30.00	25.00	
3½	to	4	in.	35.00	30.00	
4	to	5	in.	50.00	45.00	
6, 7 and 8 inch, price on request						

—**phellos.** 45 ft. (Willow Oak) medium loam to silty loam, moist, well drained, PH 5.5-6.5, sun.

6	to	8	ft.	5.00	4.50	4.00
8	to	10	ft.	6.00	5.50	5.00
1¼	to	1½	in.	6.50	6.00	
1½	to	1¾	in.	9.00	8.00	
1¾	to	2	in.	12.00	10.00	

QUERCUS — Continued

			1-4 Each	5-24 Each	25-up Each
— prinus . 50 ft. (Chestnut oak), medium loam to silty loam, moist, well drained, PH 5.5-6.5.					
1¾	to	2 in.	12.00	10.00	
2	to	2½ in.	15.00	14.00	
2½	to	3 in.	20.00	18.00	
3	to	3½ in.	30.00	28.00	
— robur fastigiata . 40 ft. (Pyramidal English Oak) medium loam, moist, well drained, PH 6.0-7.0, sun.					
4	to	5 ft. B&B	7.00	6.50	6.00
5	to	6 ft. B&B	10.00	9.00	8.00
6	to	8 ft. B&B	12.00	11.00	10.00
3½	to	4 in. B&B	75.00	70.00	
4	to	5 in. B&B	100.00	90.00	
— valutina . 70 ft. (Black Oak) medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.					
3	to	3½ in.	30.00	25.00	
3½	to	4 in.	35.00	30.00	
4	to	5 in.	50.00	45.00	
5	to	6 in.	65.00	60.00	

RHAMNUS

— carthartica . 12 ft. (Buckthorn) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-partial shade.					
2	to	3 ft.	.50	.45	.40
3	to	4 ft.	.65	.60	.55
4	to	5 ft.	.90	.85	.75
5	to	6 ft.	1.25	1.15	1.00
— frangula . 10 ft. (Glossy Buckthorn) sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.					
2	to	3 ft.	.60	.55	.50
3	to	4 ft.	.80	.70	.60
4	to	5 ft.	1.00	.90	.80
5	to	6 ft.	1.25	1.15	1.00

RHODODENDRON

— catawbiense . 6 ft. (Nursery Grown Catawba Rhododendron) woodsy or peaty loam, moist, well drained, PH 4.5-6.0, sun-partial shade.					
18	to	24 in. B&B	4.00	3.50	
24	to	30 in. B&B	5.00	4.50	
30	to	36 in. B&B	6.00	5.50	
— catawbiense grandiflora grafted . 6 ft. woodsy or peaty loam, moist, well drained, PH 4.5-6.5, sun-partial shade.					
12	to	15 in. B&B	4.00	3.50	3.00
15	to	18 in. B&B	5.00	4.50	4.00
18	to	24 in. B&B	6.00	5.50	
— maximum collected . 10 ft. (Rosebay Rhododendron) woodsy or peaty loam, moist, well drained, PH 4.5-6.0, partial shade.					
24	to	30 in. B&B	4.00	3.50	
30	to	36 in. B&B	5.00	4.50	
3	to	4 ft. B&B	6.00	5.50	

RHODOTYPOS

	1-4 Each	5-24 Each	25-up Each
—scandens (kerroides). 6 ft. (Jetbead) rich, medium loam, moist, well drained, PH 6.0-7.5, sun-shade.			
18 to 24 in.....	.60	.55	.50
2 to 3 ft.....	.70	.65	.60

RHUS

—aromatica. 6 ft. (Fragrant Sumac) sandy to medium loam, dry, good drainage, PH 6.0-7.5, sun-partial shade.			
18 to 24 in.....	.70	.60	.50
2 to 3 ft.....	.80	.70	.60
—copallina. 12 ft. (Shining Sumac) sandy to medium loam, dry-good drainage, PH 5.5-7.0, sun.			
18 to 24 in.....	.50	.45	.40
2 to 3 ft.....	.60	.55	.50
3 to 4 ft.....	.75	.65	.60
4 to 5 ft.....	.90	.80	.75

—cotinus. (See cotinus coggygrina)

—glabra. 12 ft. (Smooth Sumac) sandy to medium loam, dry-moist, PH 5.0-7.0, sun.			
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.90	.85	.75

—typhina. 15 ft. (Staghorn Sumac) sandy to medium loam, dry-moist, PH 5.0-7.0, sun.			
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.90	.80	.75

RIBES

—alpinum. 5 ft. (Mountain Currant) sandy to silty clay loam, moist, well drained, PH 6.0-7.5, sun-shade.			
9 to 12 in.....	.45	.40	.35
12 to 15 in.....	.60	.55	.50

ROBINA

—hispidia. 9 ft. (Rose Acacia) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun.			
18 to 24 in.....	.40	.35	.30
2 to 3 ft.....	.55	.50	.45
3 to 4 ft.....	.70	.65	.60
4 to 5 ft.....	.90	.80	.75

—viscosa. 10 ft. (Clammy Locust) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun.			
18 to 24 in.....	.40	.35	.30
2 to 3 ft.....	.55	.50	.45
3 to 4 ft.....	.70	.65	.60

ROSA —

	Each 1-4	Each 5-24	Each 25-up
—blanda. 5 ft. (Meadow rose) sandy to silty clay loam, moist, well drained, PH 6.0-7.5.			
18 to 24 in.....	.50	.45	.40
2 to 3 ft.....	.60	.55	.50
—canina 8' (dog rose) sandy to silty clay, moist, well drained, PH 6.0-7.0 sun.			
18 to 24 in.....	.50	.45	.40
2 to 3 ft.....	.60	.55	.50
3 to 4 ft.....	.70	.65	.60
—lucida. 5 ft. (Virginia Rose) sandy to silty clay loam, moist, well drained, PH 6.0-7.0, sun-slight shade.			
18 to 24 in.....	.50	.45	.40
2 to 3 ft.....	.60	.55	.50
—nitida. 3 ft. (Bristly Rose) sandy to silty clay loam, moist, well drained, PH 6.0-7.0, sun.			
18 to 24 in.....	.50	.45	.40
2 to 3 ft.....	.60	.55	.50
—palustris. 8 ft. (Swamp Rose) sandy to silty clay loam, moist, PH 6.0-7.0, sun-slight shade.			
18 to 24 in.....	.50	.45	.40
2 to 3 ft.....	.60	.55	.50
—rugosa alba. (Pure White) sandy to silty clay loam, moist, well drained, PH 6.0-7.0, sun-partial shade.			
18 to 24 in.....	.50	.45	
2 to 3 ft.....	.75	.60	
—rugosa rubra. (Rose Red) sandy to silty clay loam, moist, well drained, PH 6.0-7.0, sun-partial shade.			
18 to 24 in.....	.50	.45	.40
2 to 3 ft.....	.75	.60	.50
3 to 4 ft.....	.85	.75	.65
—setigera. 6 ft. (Prairie Rose) sandy to silty clay loam, moist, PH 6.0-7.0, sun-partial shade.			
2 to 3 ft.....	.50	.45	.40
3 to 4 ft.....	.65	.60	.50
4 to 5 ft.....	.75	.65	
—wichuriana. 2 ft. Sandy to silty clay loam, moist, well drained, PH 6.0-7.0, sun or part shade.			
1 year, No. 1.....	.45	.40	.35
2 year, No. 1.....	.50	.45	.40
3 years.....	.75	.60	.50

SALIX

—babylonica. 50 ft. (Babylon Weeping Willow) Sandy to medium loam, moist, PH 5.5-7.5, sun.			
6 to 8 ft.....	2.00	1.75	1.50
8 to 10 ft.....	2.50	2.25	2.00
1¾ to 2 in.....	5.00	4.50	
2 to 2½ in.....	6.00	5.50	

SALIX — Continued

1-4 Each	5-24 Each	25-up Each
-------------	--------------	---------------

—**babylonica salamoni**. 50 ft. (Salmon Weeping Willow) sandy to medium loam, moist, PH 5.5-7.5, sun.

6 to 8 ft.	2.00	1.75	1.50
8 to 10 ft.	2.50	2.25	2.00
1¼ to 1½ in.	3.00	2.75	2.50
1½ to 1¾ in.	3.50	3.25	3.00
1¾ to 2 in.	5.00	4.50	
2 to 2½ in.	6.00	5.50	
2½ to 3 in.	8.00	7.00	

—**blanda**. 40 ft. (Wisconsin Weeping Willow) sandy to medium loam, moist, PH 5.5-7.5, sun.

6 to 8 ft.	2.00	1.75	1.50
8 to 10 ft.	2.50	2.25	2.00
1¼ to 1½ in.	3.00	2.75	2.50
1½ to 1¾ in.	3.50	3.25	3.00
1¾ to 2 in.	4.00	3.75	3.50
2 to 2½ in.	6.00	5.50	

—**discolor**. 18 ft. (Pussy Willow) sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

3 to 4 ft.	.40	.35	.30
4 to 5 ft.	.50	.45	.40
5 to 6 ft.	.85	.75	.65
6 to 8 ft.	1.00	.90	.80
8 to 10 ft.	1.25	1.15	1.00

—**elegantissima**. 60 ft. (ThurLOW Willow) sandy to medium loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	2.00	1.75	1.50
8 to 10 ft.	2.50	2.25	2.00
1¼ to 1½ in.	3.00	2.75	2.50
1½ to 1¾ in.	3.50	3.25	3.00
1¾ to 2 in.	5.00	4.50	
2 to 2½ in.	6.00	5.50	
2½ to 3 in.	8.00	7.00	

—**eleagnos (incana)**. 20 ft. (Rosemary Willow) sandy to medium loam, moist, PH 6.0-7.5, sun-partial shade.

2 to 3 ft.	.50	.45	.40
3 to 4 ft.	.60	.55	.50
4 to 5 ft.	.75	.65	.60

—**matsudona tortuosa**. 22 ft. (Corkscrew Willow) sandy to medium loam, moist, PH 6.0-7.5, sun.

5 to 6 ft.	1.25	1.15	1.00
6 to 8 ft.	2.50	2.00	
8 to 10 ft.	3.00	2.50	

—**mutabilis**. 5 ft. sandy to medium loam, moist, PH 6.0-7.5, sun.

18 to 24 in.	.50	.45	.40
2 to 3 ft.	.60	.55	.50
3 to 4 ft.	.85	.75	.65

SALIX — Continued

		1-4 Each	5-24 Each	25-up Each
— niobe . 30 ft. (Golden Weeping Willow) Sandy to medium loam, moist, PH 6.0-7.5, sun.				
6	to 8 ft.	2.00	1.75	1.50
8	to 10 ft.	2.50	2.25	2.00
1¼	to 1½ in.	3.00	2.75	2.50
1½	to 1¾ in.	3.50	3.25	3.00
1¾	to 2 in.	4.00	3.75	3.50
— petandra . 25 ft. (Laurelleaved Willow) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.				
5	to 6 ft.	1.50	1.25	
6	to 8 ft.	1.75	1.50	
8	to 10 ft.	2.50	2.00	
— purpurea nana . 5 ft. (Dwarf Purpleosier Willow) Sandy loam to silty clay, moist, PH 6.0-7.5, sun.				
12	to 15 in.	.35	.30	.25
15	to 18 in.	.40	.35	.30
18	to 24 in.	.45	.40	.35
24	to 30 in.	.50	.45	.40
— vitellina . 30 ft. (Golden Willow) Sandy loam to silty clay, moist, PH 6.0-7.5, sun.				
6	to 8 ft.	2.00	1.75	1.50
8	to 10 ft.	2.50	2.25	2.00
1¼	to 1½ in.	3.00	2.75	2.50

SAMBUCUS

— canadensis . 10 ft. (American Elder) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.				
2	to 3 ft.	.50	.45	.40
3	to 4 ft.	.55	.50	.45
4	to 5 ft.	.75	.65	.60
— nigra aurea . 15 ft. (Golden European Elder) Sandy loam to silty clay, moist, PH 6.5-7.5, sun-partial shade.				
2	to 3 ft.	.50	.45	.40
3	to 4 ft.	.55	.50	.45

SASSAFRAS

— albidum . 50 ft. (Sassafras) Sandy loam to silty clay, moist, PH 5.5-7.5, sun, partial shade.				
6	to 8 ft.	5.00	4.50	
8	to 10 ft.	6.50	6.00	

SOPHORA

— japonica . 20 ft. (Chinese Scholartree) Medium loam to silty clay, dry-moist, PH 6.0-7.5, sun.				
2	to 3 ft. B&B	5.00	4.50	4.00
3	to 4 ft. B&B	6.00	5.50	5.00
4	to 5 ft. B&B	8.00	7.50	7.00
5	to 6 ft. B&B	10.00	9.50	9.00
6	to 8 ft. B&B	13.00	12.00	

SORBARIA

	1-4 Each	5-24 Each	25-up Each
— atchisoni . 7 ft. (Kashmir False Spirea) Medium loam, moist, PH 6.0-7.5, sun-partial shade.			
2 to 3 ft.....	.50	.45	
3 to 4 ft.....	.60	.55	
— sorbifolia . 5 ft. (Ural False Spirea) Medium loam, moist, PH 6.0-7.5, sun-partial shade.			
2 to 3 ft.....	.50	.45	
3 to 4 ft.....	.60	.55	

SORBUS

— aucuparia . 30 ft. (European Mountain Ash) Medium loam to silty clay, moist, PH 6.0-7.5, sun-partial shade .			
5 to 6 ft.....	2.00	1.75	1.50
6 to 8 ft.....	3.50	3.00	
8 to 10 ft.....	4.50	4.00	

SPIREA

— anthony waterer . 3 ft. (Dwarf Pink Spirea) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-slight shade.			
12 to 15 in.....	.40	.35	.30
15 to 18 in.....	.50	.45	.40
18 to 24 in.....	.55	.50	.45
24 to 30 in.....	.70	.65	.50
— arguta . 7 ft. (Garland Spirea) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
4 to 5 ft.....	.90	.80	.70
— billardi . 5 ft. (Pink Flowering Spirea) Sandy to silty clay, dry-moist. PH 6.0-7.5, sun.			
2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
4 to 5 ft.....	.90	.80	.70
— collosa alba . 2½ ft. (White Japanese Spirea) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-slight shade.			
12 to 15 in.....	.45	.40	.35
15 to 18 in.....	.50	.45	.40
— douglasi . 6 ft. (Red Flowering) Sandy to silty clay, dry-moist, PH 6.0-7.5, sun.			
2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
4 to 5 ft.....	.90	.80	.70
— froebeli . 4 ft. (Dwarf Pink) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
12 to 15 in.....	.35	.30	.25
15 to 18 in.....	.40	.35	.30
18 to 24 in.....	.45	.40	.35
24 to 30 in.....	.50	.45	.40
2½ to 3 ft.....	.55	.50	.45

SPIREA — Continued

	1-4	5-24	25-up
	Each	Each	Each

—**prunifolia plena**. 10 ft. (Double Bridal Wreath) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

18 to 24 in.....	.45	.40	
2 to 3 ft.....	.55	.50	
3 to 4 ft.....	.60	.55	

—**salicifolia**. 5 ft. (Willowleaf Spirea) Sandy to silty clay, dry-moist, PH 6.0-7.5, sun.

2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
4 to 5 ft.....	.90	.80	.70

—**thunbergi**. 5 ft. (White Flowering Spirea) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

18 to 24 in.....	.45	.40	.35
2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50

—**trichocarpa**. 5 ft. (Korean Spirea) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-slight shade.

2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
4 to 5 ft.....	.90	.80	.70

—**vanhoutti**. 10 ft. (Single White Flowering) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

2 to 3 ft.....	.50	.45	.35
3 to 4 ft.....	.60	.50	.40

STEPHANANDRA

—**incisa** (flexuosa). 6 ft. (Creamy White) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.

18 to 24 in.....	.40	.35	.30
2 to 3 ft.....	.50	.45	.40
3 to 4 ft.....	.60	.55	.50

SYMPHORICARPOS

—**albus** (racemosus) 6 ft. (White Snowberry) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

18 to 24 in.....	.35	.30	.25
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.50	.45	.40

—**chenaulti**. 6 ft. (Improved Coralberry) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

18 to 24 in.....	.35	.30	.25
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.50	.45	.40

—**mollis**. 6 ft. (Spreading Snowberry) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

18 to 24 in.....	.35	.30	.25
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.50	.45	.40

SYMPHORICARPOS — Continued

	1-4 Each	5-24 Each	25-up Each
--	-------------	--------------	---------------

—**orbiculatus (vulgaris)**. 4 ft. (Coralberry) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-shade.

18 to 24 in.....	.35	.30	.25
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.50	.45	.40

SYRINGA

—**chinensis syn. rothomagensis**. 10 ft. (Chinese Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.

18 to 24 in.....	.50	.45	.40
2 to 3 ft.....	.60	.55	.50
3 to 4 ft.....	1.00	.85	.75
4 to 5 ft.....	1.25	1.15	1.00

—**japonica**. 20 ft. (Japanese Tree Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.

2 to 3 ft.....	.75	.70	.65
3 to 4 ft.....	1.00	.90	.80
4 to 5 ft.....	1.50	1.35	1.25

—**josikaea**. 10 ft. (Hungarian Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.

2 to 3 ft.....	.50	.45	.40
3 to 4 ft.....	.60	.55	.50
4 to 5 ft.....	.85	.75	

—**persica**. 10 ft. (Persian Lilacs) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.

2 to 3 ft.....	.55	.50	.45
3 to 4 ft.....	1.00	.85	.75
4 to 5 ft.....	1.25	1.15	1.00

—**pekinensis**. 15 ft. (Peking Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.

2 to 3 ft.....	.75	.70	.65
3 to 4 ft.....	1.00	.90	.80
4 to 5 ft.....	1.50	1.35	1.25

—**vulgaris**. 12 ft. (Common Purple Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.

2 to 3 ft.....	.55	.50	.45
3 to 4 ft.....	.75	.65	.60
4 to 5 ft.....	1.10	1.00	.85
5 to 6 ft.....	1.50	1.35	

SYRINGA — Continued	1-4 Each	5-24 Each	25-up Each
— <i>vulgaris</i> hybrids. 10 ft. following named varieties. Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.			
Belle de Nancy — Double rose			
Chas. Joly — purplish red			
Chas. X — single reddish mauve			
Congo — single red			
Frau B. Dammann — single white			
Georges Bellair — double, light lilac			
J. Calot — rosy pink			
La tour d'Auvergne — double purple			
Marie LeGraye — single white			
Mad. Lemoini — double white			
Mad. Casimir Perier — double creamy white			
Mad. Felix Dykhuis — double white			
Michel Buchner — double pinkish lilac			
Pres. Carnot — double orchid pink			
Pres. Grevy — double blue			
Souv. de Ludwig Spaeth — single red			
Viviand Morel — double lilac			
18 to 24 in.....	.80	.75	.70
2 to 3 ft.....	1.25	1.15	1.00
3 to 4 ft.....	1.50	1.35	1.25
4 to 5 ft.....	2.00	1.75	1.50

TAMARIX

— <i>africana</i> . 12 ft. (Early Light Pink) Light, sandy loam, dry, PH 6.0-7.5, sun.			
2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
4 to 5 ft.....	.65	.60	.55
— <i>hispida</i> . 8 ft. (Silvery leaves, Pink flowers) Light sandy loam, dry, PH 6.0-7.5, sun.			
2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50

TAXODIUM

— <i>distichum</i> . 80 ft. (Common Bald Cypress) Medium to heavy loam, wet, PH 5.0-6.5, sun.			
10 to 12 ft. B&B.....	20.00	17.50	

TAXUS

— <i>baccata repandens</i> . 2 ft. (Spreading English Yew) Sandy loam to silty clay, moist, well drained, PH 6.0-7.5, part shade.			
12 to 15 in. B&B.....	3.00	2.75	2.50
15 to 18 in. B&B.....	4.00	3.75	3.50
18 to 24 in. B&B.....	5.00	4.50	
— <i>baccata washingtoni</i> . 8 ft. (Golden Washington Yew) Sandy loam to silty clay, moist, well drained, PH 6.0-7.5, partial shade.			
12 to 15 in. B&B.....	3.00	2.75	2.50
15 to 18 in. B&B.....	4.00	3.75	3.50
18 to 24 in. B&B.....	5.00	4.50	
24 to 30 in. B&B.....	7.00	6.50	

TAXUS — Continued

	1-4 Each	5-24 Each	25-up Each
--	-------------	--------------	---------------

—**cuspidata**. 6 ft. (Japanese Spreading Yew) Sandy loam to silty clay, moist, well drained, PH 5.5-7.5, sun-shade.

12 to 15 in. B&B.....	2.50	2.25	2.00
15 to 18 in. B&B.....	3.50	3.25	3.00
18 to 24 in. B&B.....	4.50	4.00	3.75
24 to 30 in. B&B.....	6.00	5.50	5.00
30 to 36 in. B&B.....	8.00	7.50	7.00
3 to 3½ ft. B&B.....	14.00	12.00	
3½ to 4 ft. B&B.....	16.00	15.00	

—**cuspidata capitata**. 12 ft. (Upright Japanese Yew) Sandy loam to silty clay, moist, well drained, PH 5.5-7.5, sun-shade.

15 to 18 in. B&B.....	3.50	3.25	3.00
18 to 24 in. B&B.....	4.50	4.00	3.50
24 to 30 in. B&B.....	6.50	6.00	5.00

—**columnaris** 10' broad, columnar form, dark green foliage, similar to capitata, sandy loam to silty clay, moist, well drained. PH 5.5-7.5.

15 to 18 in. B&B.....	3.00	2.75	2.50
18 to 24 in. B&B.....	3.50	3.25	3.00

—**cuspidata intermedia**. 6 ft, sandy loam to silty clay, moist, well drained, PH 5.5-7.5, sun-shade.

12 to 15 in. B&B.....	2.75	2.50	2.25
15 to 18 in. B&B.....	3.75	3.50	3.25
18 to 24 in. B&B.....	5.00	4.50	4.00

—**cuspidata Kallay's Vase-shaped** sandy loam to silty clay, moist, well drained, PH 5.5-7.5, sun-shade.

12 to 15 in. B&B.....	2.50	2.25	2.00
15 to 18 in. B&B.....	3.50	3.25	3.00
18 to 24 in. B&B.....	4.50	4.00	3.75

—**cuspidata nana compacta**. 3 ft. (Compact Japanese Yew) Sandy loam to silty clay, moist, well drained, PH 5.5-7.5, sun-shade.

12 to 15 in. B&B.....	3.00	2.75	2.50
15 to 18 in. B&B.....	4.00	3.75	3.50
18 to 24 in. B&B.....	5.50	5.00	4.50

—**cuspidata nana brevifolia**. 6 ft. (Dwarf Japanese Yew) sandy loam to silty clay, moist, well drained. PH 5.5-7.5, sun-shade.

9 to 12 in. B&B.....	2.25	2.00	1.75
12 to 15 in. B&B.....	3.00	2.75	2.50
15 to 18 in. B&B.....	4.00	3.75	3.50
18 to 24 in. B&B.....	5.50	5.00	4.50

—**media andersoni**. 8 ft. (Anderson Yew) sandy loam to silty clay, moist, well drained, PH 5.5-7.5, sun-shade.

12 to 15 in. B&B.....	2.50	2.25	2.00
15 to 18 in. B&B.....	3.50	3.25	3.00
18 to 24 in. B&B.....	4.25	4.00	3.75

TAXUS — Continued

	1-4 Each	5-24 Each	25-up Each
--	-------------	--------------	---------------

—**media browni**. 6 ft. (Brown's Yew) sandy loam to silty clay, moist, well drained, PH 5.5-7.5, sun-shade.

12 to 15 in. B&B.....	2.50	2.25	2.00
15 to 18 in. B&B.....	3.50	3.25	3.00

—**media hatfieldi**. 8 ft. (Hatfield's Yew) sandy loam to silty clay, moist, well drained, PH 5.5-7.5, sun-shade.

12 to 15 in. B&B.....	2.50	2.25	2.00
15 to 18 in. B&B.....	3.50	3.25	3.00
24 to 30 in. B&B.....	6.00	5.50	5.00
30 to 36 in. B&B.....	8.00	7.50	6.50

—**media hicksi**. 10 ft. (Hicks Yew) sandy loam to silty clay, moist, well drained, PH 5.5-7.5, sun-shade.

12 to 15 in. B&B.....	2.50	2.00	1.75
15 to 18 in. B&B.....	3.50	3.00	2.50
18 to 24 in. B&B.....	4.00	3.75	3.50
24 to 30 in. B&B.....	6.00	5.50	5.00
30 to 36 in. B&B.....	8.00	7.50	7.00
4 to 5 ft. B&B Spec....	20.00	17.50	15.00
5 to 6 ft. B&B.....	25.00	22.50	20.00

—**media hicksi improved**. 8 ft. (Improved Broad Hicks Yew) Sandy loam to silty clay, moist, well drained, PH 5.5-7.5, sun or shade.

12 to 15 in. B&B.....	2.50	2.00	1.75
15 to 18 in. B&B.....	3.50	3.00	2.50
18 to 24 in. B&B.....	4.00	3.75	3.50

THUJA

—**occidentalis**. 40 ft. (American Arborvitae) Silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

2 to 2½ ft. B&B.....	2.25	2.00	1.75
2½ to 3 ft. B&B.....	2.50	2.25	2.00
3 to 4 ft. B&B.....	3.25	3.00	2.75
4 to 5 ft. B&B.....	4.50	4.00	3.75
7 to 8 ft. B&B.....	9.00	8.50	8.00

—**occ. compacta**. 4 ft. (Parson's Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

12 to 15 in. B&B.....	1.50	1.35	1.25
15 to 18 in. B&B.....	2.25	2.00	1.75
18 to 24 in. B&B.....	2.75	2.50	2.25
24 to 30 in. B&B.....	3.00	2.75	2.50
30 to 36 in. B&B.....	3.50	3.00	

—**occ. douglasi aurea**. 15 ft. (Douglas Golden Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

2 to 2½ ft. B&B.....	2.50	2.25	2.00
2½ to 3 ft. B&B.....	3.00	2.75	2.50
3 to 4 ft. B&B.....	4.00	3.50	3.00
4 to 5 ft. B&B.....	5.00	4.50	4.00
5 to 6 ft. B&B.....	6.00	5.50	
6 to 7 ft. B&B.....	8.00	7.00	

THUJA — Continued

	1-4 Each	5-24 Each	25-up Each
--	-------------	--------------	---------------

—**occ. elegantissima.** 15 ft. (Golden Tip Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

2	to	2½ ft. B&B.....	2.50	2.25	2.00
2½	to	3 ft. B&B.....	3.00	2.75	2.50
3	to	4 ft. B&B.....	4.00	3.50	3.00
4	to	5 ft. B&B.....	5.00	4.50	4.00
5	to	6 ft. B&B.....	6.00	5.50	5.00

—**occ. globosa.** 3 ft. (Globe Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

12	to	15 in. B&B.....	1.50	1.35	1.25
15	to	18 in. B&B.....	2.25	2.00	1.75
18	to	24 in. B&B.....	2.75	2.50	2.25
24	to	30 in. B&B.....	3.00	2.75	2.50

—**occ. hoveyi.** 6 ft. (Hovey's Golden Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

12	to	15 in. B&B.....	1.50	1.35	1.25
15	to	18 in. B&B.....	2.25	2.00	1.75
18	to	24 in. B&B.....	2.75	2.50	2.25
24	to	30 in. B&B.....	3.00	2.75	2.50
30	to	36 in. B&B.....	3.50	3.25	3.00

—**occ. lutea.** 5 ft. (Geo. Peabody Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

2	to	2½ ft. B&B.....	2.50	2.25	2.00
2½	to	3 ft. B&B.....	3.00	2.75	2.50
3	to	4 ft. B&B.....	4.00	3.50	3.00

—**occ. nigra.** 20 ft. (Dark Green Arborvitae) Silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

2	to	2½ ft. B&B.....	2.50	2.25	2.00
2½	to	3 ft. B&B.....	3.00	2.75	2.50
3	to	4 ft. B&B.....	4.00	3.50	3.00
4	to	5 ft. B&B.....	5.00	4.50	4.00
5	to	6 ft. B&B.....	7.00	6.50	6.00
6	to	7 ft. B&B.....	8.00	7.50	7.00

—**occ. pyramidalis.** 25 ft. (Pyramidal Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

18	to	24 in. B&B.....	2.00	1.75	1.50
2	to	2½ ft. B&B.....	2.50	2.25	2.00
2½	to	3 ft. B&B.....	3.00	2.75	2.50
3	to	4 ft. B&B.....	4.00	3.50	3.00
4	to	6 ft. B&B.....	5.00	4.50	4.00

—**occ. spiralis** 25 ft. (Spiral Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

2½	to	3 ft. B&B.....	3.00	2.75	2.50
3	to	4 ft. B&B.....	4.00	3.50	3.00
4	to	5 ft. B&B.....	5.00	4.50	4.00
5	to	6 ft. B&B.....	6.00	5.50	5.00
6	to	7 ft. B&B.....	8.00	7.50	

1-4 5-24 25-up
Each Each Each

THUJA — Continued

—*occ. wareana*. 15 ft. (Siberian Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

15	to	18	in. B&B.....	2.25	2.00	1.75
18	to	24	in. B&B.....	2.75	2.50	2.25
2	to	2½	ft. B&B.....	3.00	2.75	2.50
2½	to	3	ft. B&B.....	3.50	3.25	3.00

—*occ. woodwardi*. 3 ft. (Woodward Globe Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

12	to	15	in. B&B.....	1.50	1.35	1.25
15	to	18	in. B&B.....	2.50	2.25	2.00
18	to	24	in. B&B.....	3.00	2.75	2.25
2	to	2½	ft. B&B.....	3.00	2.75	2.50

TILIA

—*americana*. 80 ft. (American Linden) rich, medium loam, moist, well drained, PH 6.0-7.5, sun.

6	to	8	ft.....	3.00	2.75	2.50
8	to	10	ft.....	4.00	3.50	3.00
1½	to	1¾	in.....	4.50	4.25	4.00
1¾	to	2	in.....	5.50	5.00	
2	to	2½	in.....	10.00	8.00	
2½	to	3	in.....	15.00	14.00	
3	to	3½	in.....	20.00	18.00	

—*cordata*. 65 ft. (Little Leaf European Linden) rich, medium loam, moist, well drained, PH 6.0-7.5, sun.

5	to	6	ft.....	3.50	3.25	3.00
6	to	8	ft.....	5.00	4.50	
1¼	to	1½	in.....	7.50	7.00	
1½	to	1¾	in.....	10.00	8.00	
1¾	to	2	in.....	12.00	10.00	

—*euchlora*. 65 ft. (Crimean linden) rich medium loam, moist, well drained, PH 6.0-7.5.

6	to	8	ft.....	6.00	5.50	5.00
8	to	10	ft.....	8.00	7.50	7.00

—*vulgaris*. 70 ft. (Common European Linden) rich, medium loam, moist, well drained, PH 6.0-7.5, sun.

6	to	8	ft.....	5.00	4.50	4.00
1¼	to	1½	in.....	6.50	6.00	
1½	to	1¾	in.....	9.00	8.00	
1¾	to	2	in.....	12.00	10.00	
2	to	2½	in.....	15.00	14.00	
2½	to	3	in.....	22.00	20.00	

TSUGA

1-4 Each	5-24 Each	25-up Each
-------------	--------------	---------------

—**canadensis**. 75 ft. (Canadian Hemlock) good, medium loam, moist, well drained, PH 5.0-6.5, sun-shade.

2	to	2½ ft.	B&B.....	3.00	2.75	2.50
2½	to	3	ft. B&B.....	4.00	3.50	3.00
3	to	4	ft. B&B.....	6.00	5.50	5.00
4	to	5	ft. B&B.....	8.00	7.50	7.00
5	to	6	ft. B&B.....	10.00	9.50	9.00
6	to	8	ft. B&B.....	17.50	16.00	15.00

ULMUS

—**americana**. 80 ft. (American Elm) rich, medium to silty clay loam, moist, PH 6.0-7.5, sun.

6	to	8	ft.....	2.00	1.50	1.25
8	to	10	ft.....	2.25	2.00	1.75
1¼	to	1½	in.....	3.00	2.75	2.50
1½	to	1¾	in.....	5.00	4.50	4.00
1¾	to	2	in.....	6.00	5.50	5.00
2	to	2½	in.....	9.00	8.00	7.00
2½	to	3	in.....	12.00	11.00	10.00
3	to	3½	in.....	22.00	20.00	

—**americana moline**. 80 ft. (Moline Elm) rich, medium to silty clay loam, moist, PH 6.0-7.5, sun.

6	to	8	ft.....	2.00	1.75	1.50
8	to	10	ft.....	2.50	2.25	2.00
1¼	to	1½	in.....	3.25	3.00	2.75
1½	to	1¾	in.....	4.50	4.25	4.00
1¾	to	2	in.....	7.00	6.50	6.00
2	to	2½	in.....	12.00	11.00	10.00
2½	to	3	in.....	15.00	12.50	

—**americana vase shaped**. 60 ft. (Vase Elm) rich, medium to silty clay, moist, PH 6.0-7.5, sun.

6	to	8	ft.....	2.00	1.75	
8	to	10	ft.....	2.50	2.25	
1¼	to	1½	in.....	3.25	3.00	
1½	to	1¾	in.....	4.50	4.00	
1¾	to	2	in.....	5.50	5.00	
2	to	2½	in.....	12.00	11.00	
2½	to	3	in.....	15.00	12.50	

—**procera (campestris)** 80 ft. (English Elm) rich, medium to silty clay loam, moist, PH 6.0-7.5, sun.

5	to	6	ft.....	2.00	1.75	1.50
6	to	8	ft.....	3.00	2.75	2.25
8	to	10	ft.....	4.00	3.50	3.00
3½	to	4	in.....	30.00	25.00	22.50
4	to	5	in.....	35.00	30.00	

—**carpinifolia buismanni**. Dutch elm and phloem necrosis resistant; rich medium silty clay, moist, PH 6.0-7.5.

5	to	6	ft.....	4.00	3.50	3.00
6	to	8	ft.....	5.00	4.50	4.00
1¼	to	1½	in.....	6.50	6.00	

ULMUS — Continued

		1-4 Each	5-24 Each	25-up Each
— carpinifolia sarniensis. 75 ft. (Wheatley Elm) rich, medium silty clay loam, moist, PH 6.0-7.5, sun				
5	to 6 ft.	4.00	3.50	3.00
6	to 8 ft.	4.50	4.00	
— pumila. 75 ft. (Asiatic Elm) sandy to silty clay, moist, PH 6.0-7.5, sun.				
6	to 8 ft.	2.00	1.50	1.25
8	to 10 ft.	2.25	2.00	1.75
1¼	to 1½ in.	2.75	2.50	2.25
1½	to 1¾ in.	4.00	3.75	3.50
1¾	to 2 in.	5.00	4.75	4.50
2	to 2½ in.	10.00	9.00	8.00
2½	to 3 in.	14.00	13.00	12.00
3	to 3½ in.	17.00	16.00	14.00

VIBURNUM

— acerifolium. 5 ft. (Mapleleaf Viburnum) medium loam, dry-moist, PH 4.5-6.5, sun or shade.				
18	to 24 in.	.65	.60	
2	to 3 ft.	1.00	.85	
— burkwoodi. 4 ft. light to silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.				
15	to 18 in. B&B.	2.00	1.75	1.50
18	to 24 in. B&B.	2.50	2.25	2.00
2	to 3 ft. B&B.	3.00	2.75	2.50
3	to 4 ft. B&B.	4.00	3.50	
4	to 5 ft. B&B.	5.50	5.00	
— carlesi. 4 ft. (Fragrant Viburnum) light to silty clay loam, moist, well drained, PH 6.0-7.5, sun- partial shade.				
12	to 15 in. B&B.	2.00	1.75	1.50
15	to 18 in. B&B.	2.50	2.25	2.00
18	to 24 in. B&B.	3.00	2.75	2.50
24	to 30 in. B&B.	4.00	3.50	3.25
30	to 36 in. B&B.	4.50	4.00	
— cassinoides. 6 ft. (White Rod) medium to silty clay loam, moist, PH 6.0-7.5, sun-shade.				
18	to 24 in.	.60	.55	.50
2	to 3 ft.	.90	.80	.75
3	to 4 ft.	1.25	1.15	1.00
— dentatum. 12 ft. (Arrowwood) Sandy to silty clay loam, moist, PH 6.0-7.5, sun-shade.				
2	to 3 ft.	.55	.50	.45
3	to 4 ft.	.65	.60	.55
4	to 5 ft.	1.00	.85	.75
5	to 6 ft.	1.25	1.00	
— dilitatum. 10 ft. (Linden vibrurnum) Sandy to silty clay loam, moist, PH 6.0-7.5 sun or part shade.				
18	to 24 in.	.75	.65	.60
2	to 3 ft.	.90	.80	.75
3	to 4 ft.	1.15	1.00	.90
4	to 5 ft.	1.25	1.10	

VIBURNUM — Continued

1-4 Each	5-24 Each	25-up Each
-------------	--------------	---------------

—**lantana**. 15 ft. (Wayfaring Tree) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.

18 to 24 in.....	.50	.45	.40
2 to 3 ft.....	.60	.55	.50
3 to 4 ft.....	.75	.70	.65
4 to 5 ft.....	1.25	1.15	1.00

—**lentago**. 20 ft (Nannyberry) light loam to silty clay, moist, PH 6.0-7.5, sun-shade.

2 to 3 ft.....	.55	.50	.45
3 to 4 ft.....	.75	.65	.60
4 to 5 ft.....	1.00	.85	.75
5 to 6 ft.....	1.15	1.10	1.00
6 to 8 ft.....	2.00	1.75	1.50

—**molle**. 10 ft. (Kentucky Viburnum) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.

3 to 4 ft.....	.75	.60	
4 to 5 ft.....	.85	.75	

—**opulus**. 10 ft. (Highbush Cranberry) sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.

18 to 24 in.....	.50	.45	.40
2 to 3 ft.....	.60	.55	.50
3 to 4 ft.....	.75	.70	.65
4 to 5 ft.....	1.25	1.15	1.00
5 to 6 ft.....	1.50	1.35	1.25

—**opulus nanum**. 2 ft. (Dwarf Cranberry) sandy loam to

4 to 6 in. 2 years.....	.60	.55	.50
6 to 9 in. 3 years.....	.90	.80	.75

—**opulus sterile**. 12 ft. (Common Snowball) sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.

18 to 24 in.....	.50	.45	.40
2 to 3 ft.....	.60	.55	.50
3 to 4 ft.....	.75	.70	.65
4 to 5 ft.....	1.25	1.15	1.00
5 to 6 ft.....	1.50	1.35	1.25

—**prunifolium**. 12 ft. (Blackhaw) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.

2 to 3 ft.....	1.50	1.25	1.00
3 to 4 ft.....	1.75	1.65	1.50
4 to 5 ft.....	2.50	2.25	2.00
5 to 6 ft.....	3.00	2.75	2.50
6 to 8 ft.....	4.00	3.50	

—**seiboldi**. 10 ft. (Seibold Viburnum) light loam to silty clay, moist, PH 6.0-7.5, sun-shade.

18 to 24 in.....	.75	.65	
2 to 3 ft.....	.85	.75	

VIBURNUM — Continued

	1-4 Each	5-24 Each	25-up Each
--	-------------	--------------	---------------

—**tomentosum**. 8 ft. (Doublefile Viburnum) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.

18 to 24 in.	.50	.45	.40
2 to 3 ft.	.80	.70	.60
3 to 4 ft.	.90	.85	.75

—**tomentosum plicatum**. 8 ft. (Japanese Snowball) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-partial shade.

18 to 24 in.	1.00	.75	
2 to 3 ft.	1.25	1.00	

—**trilobum (americanum)** 8 ft. (American Cranberry Bush) medium loam, moist, PH 6.0-7.5, sun or partial shade.

18 to 24 in.	.50	.45	.40
2 to 3 ft.	.75	.65	.50
3 to 4 ft.	.90	.85	.75
4 to 5 ft.	1.25	1.15	1.00

—**wrightii**. 8 ft. (Wright's Viburnum) Light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-partial shade.

18 to 24 in.	.75	.65	.60
2 to 3 ft.	1.00	.85	.75
3 to 4 ft.	1.25	1.15	1.00

VITEX

—**agnus castus**. 4 ft. (Chaste Tree) Sandy to silty loam, moist, well drained, PH 6.0-7.5, sun-slight shade.

18 to 24 in.	.50	.45	.40
2 to 3 ft.	.60	.55	.50
3 to 4 ft.	.75	.65	.60

—**latifolia (macrophylla)** (Hardy Lilac Chaste Tree). Sandy to silty loam, moist, well drained, PH 6.0-7.5, sun-light shade.

18 to 24 in.	.50	.45	.40
2 to 3 ft.	.60	.55	.50
3 to 4 ft.	.75	.65	.60

VITIS

—**aestivalis**. 40 ft. (Summer Grape) Sandy loam to silty clay, moist, PH 5.5-7.5, sun-partial shade.

2 year No. 1	.50	.45	.40
--------------	-----	-----	-----

WEIGELA

—**abel carriere**. 10 ft. Medium loam, moist, well drained, PH 6.0-7.5, sun-shade.

18 to 24 in.	.40	.35	.30
2 to 3 ft.	.60	.55	.45
3 to 4 ft.	.70	.60	.50

WEIGELA — Continued

	1-4 Each	5-24 Each	25-up Each
—amabilis. 8 ft. (Rose Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.			
18 to 24 in.....	.40	.35	.30
2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
—desboisi. 10 ft. (Pink Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.			
18 to 24 in.....	.40	.35	.30
2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
—Eva Rathke. 5 ft. (New, Red Flowering Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.			
18 to 24 in.....	.50	.45	.40
2 to 3 ft.....	.75	.65	.55
3 to 4 ft.....	.80	.70	.60
—florida (rosea) 8 ft. (Pink Flowering Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun- partial shade.			
18 to 24 in.....	.40	.35	.30
2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
—floribunda. 8 ft. (Crimson Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-part shade.			
18 to 24 in.....	.45	.40	.35
2 to 3 ft.....	.60	.55	.50
3 to 4 ft.....	.65	.60	.55
—hendersoni. 10 ft. (Pink Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.			
18 to 24 in.....	.40	.35	.30
2 to 3 ft.....	.60	.55	.45
3 to 4 ft.....	.70	.60	.50
—nana variegata. 5 ft. (Variegated Leaf Weigela) Med- ium loam, moist, well drained, PH 6.0-7.5, sun- partial shade.			
18 to 24 in....	.50	.45	.40
2 to 3 ft.....	.65	.60	.55
—vanhoutti. 8 ft. (Rose Pink Weigela) Medium loam moist, well drained, PH 6.0-7.5, sun, partial shade.			
18 to 24 in.....	.45	.40	.35
2 to 3 ft.....	.60	.55	.45

WISTARIA

—sinensis blue. 40 ft. (Chinese Purple Wistaria) Me- dium to silty clay loam, moist, well drained, PH 6.0-7.5, sun-shade.			
2 year No. 1.....	.60	.50	
3 year No. 1.....	.70	.60	

ZANTHORHIZA

	1-4 Each	5-24 Each	25-up Each
--	-------------	--------------	---------------

—**apiifolia**. 3 ft. (Yellowroot) Sandy loam to silty clay,
dry-moist, PH 5.0-6.5, sun-partial shade.

12 to 15 in.....	.75	.65	.60
15 to 18 in.....	1.00	.90	.80

For schedule of prices on balling and burlapping
deciduous trees and shrubs, see inside back cover.

No orders will be accepted for balled nursery stock that
is to be boxed for shipment, but can often include small
balled stock orders as part load on trucks. Please inquire.
No orders will be accepted for any nursery stock under
the value of \$25.00 unless called for.

BERRY BEARING TREES AND SHRUBS

For late fall and winter effect; also attractive to birds.

TREES

Cornus florida—red
Corylus americana—brown
Corylus avellana—brown
Crataegus in variety—red

Malus in variety—red
Morus alba—white
Nyssa sylvatica—black
Sorbus aucuparia—red

DECIDUOUS SHRUBS

Amelanchier canadensis—purple
Amelanchier stolonifera—purple
Aronia arbutifolia—red
Aronia melanocarpa—black
Berberis in variety—red
Benzoin aestivale—red
Chionanthus virginica—blue
Cornus alternifolia—black
Cornus alba sibirica—white
Cornus amomum—blue
Cornus mas—red
Cornus paniculata—white
Cornus stolonifera—black
Cotoneaster in variety—red
Euonymus alatus—red
Euonymus americana—red
Euonymus europaeus—orange
Euonymus yedoensis—orange
Ilex verticillata—red
Ligustrum amurense—black
Ligustrum ibota—black
Ligustrum ibota reilianum —
 black

Ligustrum vulgare—black
Lonicera in variety—red
Myrica carolinensis—gray
Photinia villosa—red
Rhamnus catharticus—black
Rhamnus frangula—black
Rhus canadensis—red
Sambucus canadensis—black
Sambucus nigra—black
Sambucus pubens—scarlet
Symphoricarpos racemosus—
 white
Symphoricarpos vulgaris—red
Symphoricarpos V. Chenaulti—
 black
Viburnum acerifolium—black
Viburnum americanum—red
Viburnum cassinoides—red
Viburnum dentatum—black
Viburnum lantana—black
Viburnum opulus—red
Viburnum Wrighti—red

Specially attractive to birds on which they feed, and bird lovers should by all means include the following varieties in their plantings:

Amelanchier in variety
Aronia in variety
Benzoin aestivale
Chionanthus virginica
Cornus in variety
Cotoneaster in variety
Crataegus in variety
Ligustrum in variety

Lonicera in variety
Malus in variety
Myrica carolinensis
Prunus in variety
Rhus in variety
Rosa in variety
Symphoricarpos in variety
Viburnum in variety

NOTES

NOTES

NOTES

SCHEDULE OF B. & B. PRICES

The following is a schedule of prices for balling and burlapping deciduous trees and shrubs of various grades which are listed with bare roots. Items listed B. & B., price of balling is included in the list price.

Unless instructed to the contrary, the following size balls, will be supplied. If larger or smaller balls are required prices will be adjusted accordingly.

SHRUBS AND FLOWERING TREES

Ball Size	Lbs.				1-5 Each	5-25 Each
10 in.	30	1½ to	2 ft.	\$.70	\$.60
12 in.	45	2 to	3 ft.90	.80
13 in.	55	3 to	4 ft.	1.25	1.15
15 in.	85	4 to	5 ft.	1.75	1.65
16 in.	105	5 to	6 ft.	2.25	2.15
18 in.	150	6 to	7 ft.	3.50	3.35
20 in.	200	7 to	8 ft.	4.75	4.50
22 in.	260	8 to	10 ft.	6.50	6.00

SHADE TREES

20 in.	200	1¼ to 1½ in.	4.75	4.50	4.25
22 in.	260	1½ to 1¾ in.	7.00	6.50	6.00
24 in.	325	1¾ to 2 in.	8.00	7.50	7.00
28 in.	400	2 to 2½ in.	10.00	9.50	9.00
30 in.	650	2½ to 3 in.	15.00	14.00	13.00
32 in.	800	3 to 3½ in.	18.00	17.00	16.00
36 in.	1025	3 to 4 in.	22.00	21.00	20.00
40 in.		4 to 4½ in.	26.00	25.00	24.00
42 in.	1600	4 to 5 in.	30.00	28.00	26.00
44 in.		4½ to 5 in.	32.00	31.00	30.00
48 in.	2500	5 to 5½ in.	44.00	42.00	40.00
54 in.	3500	5½ to 6 in.	50.00	48.00	46.00
60 in.	5500	6 to 7 in.	75.00	72.50	70.00
66 in.	5500	7 to 8 in.	110.00	105.00	100.00

Due to labor shortage, balling prices herein quoted are subject to change without notice.

Platforms \$5.00 each, additional.

BOXING CHARGES

30x30 in.	\$.85 per foot
28x28 in.75 per foot
24x24 in.70 per foot
20x20 in.60 per foot
16x16 in.50 per foot
12x12 in.35 per foot
14x14 in.40 per foot

BALES

Minimum 50 cents. Large bales 1½ cents per lb.

The weight of balls as above indicated are approximate, price quoted includes loading on your truck. In case of car loading of balls larger than 24" balls, an additional charge will be made to cover cost of labor and material used.

